INDEX TO VOLUME 86

The Index for Volume 86 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

Abel D. see Horn et al. 307–308
Adaskaveg J. E. The 1993 MSA annual foray—Georgia. 299–300
Adaskaveg, J. E., and M. Dunlap. PolyKey: A computerized synoptic key to 100 genera and over 400 species of polyporaceous, wood rotting fungi of North America, Mac-version 1.0; review 302–304
Adhesives, Basidiobolus ranarum 336–342
Ahmadjian V. The lichen symbiosis; review 715–716
Airborne basidiospores, Pleurotus 270–274
Alexander I. J. see Read et al. 304–305
Aluminum tolerance, arbuscular mycorrhizae 217–226
Ammirati J. [Review of] British fungus flora, agarics and boleti, 7 Cortinariaceae p.p. 717–718
Ammirati J. F. see Walker et al. 209–211
Ann P. J. see Zhang et al. 107–111
Aoki Y. see Saikawa et al. 474–476
Appressoria, Gaeumannomyces 72–81
Arnould C. see Gianinazzi-Pearson et al. 477–484
Baba N. see Saikawa et al. 474–476
Bal A. K. see Hampson et al. 733–740
Bärlocher F. [Review of] Allgemeine Mykologie. 723–724
Baroni T. J. [Review of] Systematics of Laccaria (Agaricales) in the Continental United States and Canada, with discussions on extralimital taxa and descriptions of extant types. 301–302
Baroni, T. J., and E. Horak. Entolomataceae in North America III: New taxa, new combinations and notes on species of Rhodocybe. 137–144
Bartolome-Esteban, H., and N. C. Schenck. Spore germination and hyphal growth of arbuscular mycorrhizal fungi in relation to soil aluminum saturation. 217–226
Bauer R. see Zugmaier et al. 49–56
Baumann K. see Neubert et al. 718–719
Beck, R. J., O. P. Smith, P. W. Tooley, G. L. Peterson, and M. R. Bonde. Characterization of double-stranded RNA from Tilletia indica. 656–659
Belanger F. C. see Lam et al. 408–415
Benny G. L. see Maia et al. 343–349
Bilbrey R. E. see Lilly et al. 563–569
Bills, G. F., and J. D. Polishook. Abundance and diversity of microfungi in leaf litter of a lowland rain forest in Costa Rica. 187–198
Biogeography, hypogeous fungi 795–801
Biography
  Cash E. K. 163–166
  Cooke W. B. 704–711
  Nobles M. K. 296–298
  Pomerleau R. 587–590
Biomas estimation, Phanerochaete chrysosporium 741–742
Biotin, effect on growth of Fusarium 546–553
Bissegger, M., and T. N. Sieber. Assemblages of endophytic fungi in coppice shoots of Castanea sativa. 648–655
Blackwell M. Minute mycological mysteries: the influence of arthropods on the lives of fungi. 1–17
Błaszkowski J. First record and notes on Glomus coronatum in Poland and Germany. 630–634
Bonde M. R. see Beck et al. 656–659
Both E. E. The boletes of North America; review 712
Botha A. J. see Roux et al. 602–606
Boucias D. G. see Pendland et al. 327–335
Bradley-Kerr B. see Dykstra, M. J., and B. Bradley-Kerr. 336–342
Branching pattern, Macrophomina phaseolina 350–356
Brandes M. L. see Wood et al. 560–562
Bruehl, G. W., W. J. Kaiser, and R. E. Klein. An endophyte of Achnatherum inebrians, an intoxicating grass of northwest China. 773–776
Bruhn J. N. see Mihail et al. 350–356
Bunyard, B. A., M. S. Nicholson, and D. J. Royse. A systematic assessment of Morchellausing RFLP analysis of the 28S ribosomal RNA gene. 762–772
Burdsall Jr., H. H., and E. B. Dorworth. Preserving cultures of wood-decaying Basidiomycotina using sterile distilled water in cryovials. 275–280
Buswell J. A. see Chang et al. 720–721
Buswell J. A. see Chang et al. 721
Carris L. M. Vaccinium fungi: Mycosisymbrium cirrhosum gen. et sp. nov.. 130–132
Carris L. M. [Review of] Seedborne diseases and seed health testing of wheat. 713–714
Carris, L. M., and P. M. Gray. The ability of Tilletia fusca to hybridize with the wheat bunt species under axenic conditions. 156–162
Carroll G. C. see Wilson, D., and G. C. Carroll. 635–647
Castlebury, L. A., J. V. Maddox, and D. A. Glawe. A technique for the extraction and purification of viable Plasmodiophora brassicae resting spores from host root tissue. 458–460
Cázares, E., and J. M. Trappe. Spore dispersal of ectomycorrhizal fungi on a glacier forefront by mammal mycophagy. 506–509
Cell wall invertase, Acremonium typhinum 408–415
Center of origin, Phytophthora colocasiae 107–111
Cerdá-Olmedo E. see Rivero, F., and E. Cerdá-Olmedo. 781–786
Cerniglia C. E. see Sutherland et al. 116–119
Chang, S., J. A. Buswell, and P. G. Miles. Eds. Genetics and breeding of edible mushrooms; review 720–721
Chang, S., J. A. Buswell, and S. Chiu. Eds. Mushroom biology and mushroom products; review 721
Chern, L. L., and W. H. Ko. Effects of high temperature on physiological processes leading to sexual reproduction in Phytophthora parasitica. 416–420
Chiu S. see Chang et al. 721
Cisar, C. R., D. O. TeBeest, and F. W. Spiegel. Sequence similarity of mating type idiomorphs: A method which detects similarity among the Sordariaceae fails to detect similar sequences in other filamentous ascomycetes. 539–545
Clamp formation, Pleurotus ostreatus 593–601
Clark J. W. see Larsen et al. 120–129
Clark, J., and S. L. Stephenson. Didymium ovoideum culture and mating system. 392–396
Clay K. see Lu, M., and K. Clay. 667–673
Cobb Jr. F. W. see Jacobs et al. 112–115
Cooke J. C. [Review of] Mycorrhizas in ecosystems. 304–305
Cotty P. J. see Daigle, D. J., and P. J. Cotty. 397–400
Crous P. W. see Crous et al. 447–450
Crous, P. W., M. J. Wingfield, and W. B. Kendrick. Kionochaeta pini sp. nov. and

INDEX TO VOLUME 86

The Index for Volume 86 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

Abel D. see Horn et al. 307–308
Adaskaveg J. E. The 1993 MSA annual foray—Georgia. 299–300
Adaskaveg, J. E., and M. Dunlap. PolyKey: A computerized synoptic key to 100 genera and over 400 species of polyporaceous, wood rotting fungi of North America, Mac-version 1.0; review 302–304
Adhesives, Basidiobolus ranarum 336–342
Ahmadjian V. The lichen symbiosis; review 715–716
Airborne basidiospores, Pleurotus 270–274
Alexander I. J. see Read et al. 304–305
Aluminum tolerance, arbuscular mycorrhizae 217–226
Ammirati J. [Review of] British fungus flora, agarics and boleti, 7 Cortinariaceae p.p. 717–718
Ammirati J. F. see Walker et al. 209–211
Ann P. J. see Zhang et al. 107–111
Aoki Y. see Saikawa et al. 474–476
Appressoria, Gaeumannomyces 72–81
Arnould C. see Gianinazzi-Pearson et al. 477–484
Baba N. see Saikawa et al. 474–476
Bal A. K. see Hampson et al. 733–740
Bärlocher F. [Review of] Allgemeine Mykologie. 723–724
Baroni T. J. [Review of] Systematics of Laccaria (Agaricales) in the Continental United States and Canada, with discussions on extralimital taxa and descriptions of extant types. 301–302
Baroni, T. J., and E. Horak. Entolomataceae in North America III: New taxa, new combinations and notes on species of Rhodocybe. 137–144
Bartolome-Esteban, H., and N. C. Schenck. Spore germination and hyphal growth of arbuscular mycorrhizal fungi in relation to soil aluminum saturation. 217–226
Bauer R. see Zugmaier et al. 49–56
Baumann K. see Neubert et al. 718–719
Beck, R. J., O. P. Smith, P. W. Tooley, G. L. Peterson, and M. R. Bonde. Characterization of double-stranded RNA from Tilletia indica. 656–659
Belanger F. C. see Lam et al. 408–415
Benny G. L. see Maia et al. 343–349
Bilbrey R. E. see Lilly et al. 563–569
Bills, G. F., and J. D. Polishook. Abundance and diversity of microfungi in leaf litter of a lowland rain forest in Costa Rica. 187–198
Biogeography, hypogeous fungi 795–801
Biography
  Cash E. K. 163–166
  Cooke W. B. 704–711
  Nobles M. K. 296–298
  Pomerleau R. 587–590
Biomas estimation, Phanerochaete chrysosporium 741–742
Biotin, effect on growth of Fusarium 546–553
Bissegger, M., and T. N. Sieber. Assemblages of endophytic fungi in coppice shoots of Castanea sativa. 648–655
Blackwell M. Minute mycological mysteries: the influence of arthropods on the lives of fungi. 1–17
Błaszkowski J. First record and notes on Glomus coronatum in Poland and Germany. 630–634
Bonde M. R. see Beck et al. 656–659
Both E. E. The boletes of North America; review 712
Botha A. J. see Roux et al. 602–606
Boucias D. G. see Pendland et al. 327–335
Bradley-Kerr B. see Dykstra, M. J., and B. Bradley-Kerr. 336–342
Branching pattern, Macrophomina phaseolina 350–356
Brandes M. L. see Wood et al. 560–562
Bruehl, G. W., W. J. Kaiser, and R. E. Klein. An endophyte of Achnatherum inebrians, an intoxicating grass of northwest China. 773–776
Bruhn J. N. see Mihail et al. 350–356
Bunyard, B. A., M. S. Nicholson, and D. J. Royse. A systematic assessment of Morchellausing RFLP analysis of the 28S ribosomal RNA gene. 762–772
Burdsall Jr., H. H., and E. B. Dorworth. Preserving cultures of wood-decaying Basidiomycotina using sterile distilled water in cryovials. 275–280
Buswell J. A. see Chang et al. 720–721
Buswell J. A. see Chang et al. 721
Carris L. M. Vaccinium fungi: Mycosisymbrium cirrhosum gen. et sp. nov.. 130–132
Carris L. M. [Review of] Seedborne diseases and seed health testing of wheat. 713–714
Carris, L. M., and P. M. Gray. The ability of Tilletia fusca to hybridize with the wheat bunt species under axenic conditions. 156–162
Carroll G. C. see Wilson, D., and G. C. Carroll. 635–647
Castlebury, L. A., J. V. Maddox, and D. A. Glawe. A technique for the extraction and purification of viable Plasmodiophora brassicae resting spores from host root tissue. 458–460
Cázares, E., and J. M. Trappe. Spore dispersal of ectomycorrhizal fungi on a glacier forefront by mammal mycophagy. 506–509
Cell wall invertase, Acremonium typhinum 408–415
Center of origin, Phytophthora colocasiae 107–111
Cerdá-Olmedo E. see Rivero, F., and E. Cerdá-Olmedo. 781–786
Cerniglia C. E. see Sutherland et al. 116–119
Chang, S., J. A. Buswell, and P. G. Miles. Eds. Genetics and breeding of edible mushrooms; review 720–721
Chang, S., J. A. Buswell, and S. Chiu. Eds. Mushroom biology and mushroom products; review 721
Chern, L. L., and W. H. Ko. Effects of high temperature on physiological processes leading to sexual reproduction in Phytophthora parasitica. 416–420
Chiu S. see Chang et al. 721
Cisar, C. R., D. O. TeBeest, and F. W. Spiegel. Sequence similarity of mating type idiomorphs: A method which detects similarity among the Sordariaceae fails to detect similar sequences in other filamentous ascomycetes. 539–545
Clamp formation, Pleurotus ostreatus 593–601
Clark J. W. see Larsen et al. 120–129
Clark, J., and S. L. Stephenson. Didymium ovoideum culture and mating system. 392–396
Clay K. see Lu, M., and K. Clay. 667–673
Cobb Jr. F. W. see Jacobs et al. 112–115
Cooke J. C. [Review of] Mycorrhizas in ecosystems. 304–305
Cotty P. J. see Daigle, D. J., and P. J. Cotty. 397–400
Crous P. W. see Crous et al. 447–450
Crous, P. W., M. J. Wingfield, and W. B. Kendrick. Kionochaeta pini sp. nov. and

Verrucophragmia splendens gen. nov. from leaf litter in South Africa. 447–450
Cultural characteristics
Capronia 290–295
Panus conchatus 145–149
Penicillium 259–262
Culture collection, wood-decaying Basidiomycetes 275–280
Cunfer B. M. see Mathur, S. B., and B. M. Cunfer. 713–714
Cytology, Lentinus, Panus and Neolentinus 725–732
Daie J. see Lam et al. 408–415
Daigle, D. J., and P. J. Cotty. Stability of Colletotrichum truncatum in culture influences mycoherbicide efficacy. 397–400
Dalpé Y. [Review of] Ecologie des Champignons. 306
Dalpé, Y., and J. Ginns. René Pomerleau, 1904–1993. 587–590
Dancik B. P. see Zhu et al. 227–234
Deck J. see Sutherland et al. 116–119
Desjardin D. E. [Review of] Mycenas of the Northern Hemisphere. I. Studies in Mycenas and other papers. II. Conspectus of Mycenas of the Northern Hemisphere. 309–310
DeVay J. E. see Smith et al. 546–553
Development
ascoma of Glomerella 82–88
Melanospora zamiae 357–370
Ophiostoma seticolle 602–606
Dispersal, Pleurotus 270–274
Distribution
Armillaria in California 112–115
Armillaria in several forest types 401–407
Phytophthora colocasiae 107–111
Doggett, M. S., and D. Porter. Observations of Zygorhizidium sp. parasitic on Pediastrum duplex. 199–202
Dorworth E. B. see Burdsall Jr., H. H., and E. B. Dorworth. 275–280
Double-stranded RNA, Tilletia indica 656–659
Duckmanton, L., and P. Widden. Effect of ozone on the development of vesicular-arbuscular mycorrhizae in sugar maple saplings. 181–186
Dunlap M. see Adaskaveg, J. E., and M. Dunlap. 302–304
Durieu G. Ecologie des Champignons; review 306
Dykstra M. J. Ballistosporic conidia in Basidiobolus ranarum: The influence of light and nutrition on the production of conidia and endospores (sporangiospores). 493–500
Dykstra, M. J., and B. Bradley-Kerr. The adhesive droplet of capilliconidia of Basidiobolus ranarum exhibits unique ultrastructural features. 336–342
Edelmann, R. E., and K. L. Komparens. The ultrastructural development of sporangiospores in multispored sporangia of Zygorhynchus heterogamus with a hypothesis for sporangial wall dissolution. 57–71
Electrophoretic karyotype, Fusarium acuminatum 203–208
Endophytes
Amazonian palm 376–385
Castanea sativa 648–655
grown on tissue cultures 667–673
Epstein, L., S. Kaur, T. Goins, Y. H. Kwon, and J. M. Henson. Production of hyphopodia by wild-type and three transformants of Gaeumannomyces graminis var. graminis. 72–81
Evans F. E. see Sutherland et al. 116–119
Extracellular proteinase, Hebeloma crustuliniforme 227–234
Extraction of spores from soil, 89–95
Farquhar M. L. see Peterson, R. L., and M. L. Farquhar. 311–326
Farr D. F. see Reed, C. F., and D. F. Farr. 305–306
Feifel E. see Pelizzari et al. 554–559
Fischer M. Pairing tests in the Phellinus pini group. 523–538
Fitter A. H. see Read et al. 304–305
Fluorescein diacetate, quantify mycelial development in Phanerochaete 741–742
Fogel R. Materials for a hypogeous mycoflora of the Great Basin and adjacent cordilleras of the Western United States II. Two new subemergent species, Cortinarius saxamontanus and C. magnivelatus, plus comments on their evolution. 795–801
Fractal geometry, Macrophomina phaseolina 350–356
Fraiture A. Les Amanitopsis d'Europe; review 712–713
Freeman J. P. see Sutherland et al. 116–119
Freeze-drying, effect of on conidia 281–289
Fungal ecology, nematophagous fungi in cattle manure 371–375
Fungus-arthropod associations, 1–17
Gardner D. E. Teliospore germination and nuclear behavior of Puccinia rutaninsulara, a microcyclic Hawaiian rust. 485–492
Gargas A. see Saenz et al. 212–216
Gelinas S. see Walker et al. 209–211
Genetics, of Basidiomycetes 173–180
Germ tubes, powdery mildew fungi 626–629
Gianinazzi-Pearson, V., M-C. Lemoine, C. Arnould, A. Gollotte, and J. B. Morton. Localization of beta (1–3) glucans in spore and hyphal walls of fungi in the Glomales. 477–484
Ginns J. Mildred K. Nobles, 1903–1993. 296–298
Ginns, J., and M. N. L. Lefebvre. Lignicolous corticioid fungi (Basidiomycota) of North America: systematics, distribution and ecology; review 724
Glawe D. A. see Castlebury et al. 458–460
Glucan
Achlya 235–241
Glomales 477–484
Glucose, effect on growth of Fusarium 546–553
Goh, T.-K., and R. T. Hanlin. Ascomal development in Melanospora zamiae. 357–370
Goins T. see Epstein et al. 72–81
Gollotte A. see Gianinazzi-Pearson et al. 477–484
Gordon S. A. see Peterson, R. H., and S. A. Gordon. 743–757
Gray P. M. see Carris, L. M., and P. M. Gray. 156–162
Gregory N. M. see Watling et al. 717–718
Griffen D. H. [Review of] Stress tolerance of fungi (Mycology Series 10). 716
Gstraunthaler G. see Pelizzari et al. 554–559
Guo, L. Y., and W. H. Ko. Factors affecting oospore germination of heterothallic Pythium splendens. 777–780
Guzmán, G., G. Mata, D. Salmones, C. Soto-Velazco, and L. Guzmán-Davalos. El cultivo de los honghos comestibles; review 722
Guzmán-Davalos L. see Guzmán et al. 722
Hampson, M. C., A. F. Yang, and A. K. Bal. Ultrastructure of Synchytrium endobioticum resting spores and enhancement of germination using snails. 733–740
Hancock J. G. see Saunders, G. A., and J. G. Hancock. 660–666
Hanlin R. T. [Review of] El cultivo de los honghos comestibles. 722
Hanlin R. T. see Goh, T.-K., and R. T. Hanlin. 357–370
Harrington T. C. [Review of] Dutch elm disease research: cellular and molecular approaches. 719–720
Harvima R. J. see Petäistö et al. 242–249
Henson J. M. see Epstein et al. 72–81
Heterothallism, Sphaerotheca fuliginea 516–522
Hibbett, D. S., and R. G. Thorn. Nematode-trapping in Pleurotus tuberregium. 696–699
Hibbett, D. S., S. Murakami, and A. Tsuneda. Postmeiotic nuclear behavior in Lentinus, Panus, and Neolentinus. 725–732
Higginbotham K. O. see Zhu et al. 227–234
Higgins S. M. see Lilly et al. 563–569
Hillocks R. J. Ed. Cotton Diseases; review 305
Hiratsuka Y. see Hutchison, L. J., and Y. Hiratsuka. 386–391
Hoch H. C. see Moloshok et al. 787–794
Hopple Jr., J. S., and R. Vilga-

lys. Phylogenetic relationships among coprinoid taxa and allies based on data from restriction site mapping of nuclear rDNA. 96–106
Horak E. see Baroni, T. J., and E. Horak. 137–144
Horgen P. A. [Review of] Genetics and breeding of edible mushrooms. 720–721
Hormone production, Phytophthora parasitica 416–420
Horn, B., R. Kay, and D. Abel. A guide to Kansas mushrooms; review 307–308
Hornok L. see Nagy, R., and L. Hornok. 203–208
Host-parasite interactions, Tremella 49–56
Hughes S. J. see McPartland, J. M., and S. J. Hughes. 867–869
Huhndorf S. M. Neotropical Ascomycetes 4. Pseudotrichia guatopoensis, a new species from Venezuela, with a key to species in the genus. 133–136
Huhndorf S. M. Neotropical Ascomycetes 5. Hypsostromataceae, a new family of Loculoascomycetes and Manglicola samuelsii, a new species from Guyana. 266–269
Hutchison, L. J., and Y. Hiratsuka. Some wood-inhabiting yeasts of trembling aspen (Populus tremuloides) from Alberta and northeastern British Columbia. 386–391
Hyphopodia, Gaeumannomyces 72–81
Immunocytochemistry, in Nomuraea rileyi 327–335
Infection, Quercus by Discula quercina 635–647
Interspecific crosses, 758–761
Interspecific hybrids, Tilletia fusca 156–162
Intersterility groups
  Armillaria 112–115
  Phellinus pini 523–538
Intoxication, Achnatherum inebrians 773–776
Isozymes, Epichloe 802–812
Jacobs, K. A., J. D. MacDonald Jr., F. W. Cobb, and K. Wells. Identification of Armillaria species in California. 112–115
Jacobson, K. M., and O. K. Miller Jr. Postmeiotic mitosis in the basidia of Suillus granulatus: Implications for population structure and dispersal biology. 510–515
Jeffers D. see Smith et al. 546–553
Jeng R. S. see Krug et al. 250–253
Jennings D. H. Ed. Stress tolerance of fungi (Mycology Series 10); review 716
Johnson K. B. see Stone et al. 674–683
Johnson, J. E., and A. S. Methven. Panus conchatus: Cultural characters and mating data. 145–149
Jones R. L. see Wood et al. 560–562
Ju Y.-M. see Rogers et al. 684–690
Ju Y.-M. see Rogers et al. 700–703
Kajander E. O. see Petäistö et al. 242–249
Kakishima, M., and T. Kobayashi. Uredo gardenicola, a new rust fungus on Gardenia from Indonesia. 263–265
Kaur S. see Epstein et al. 72–81
Kay R. see Horn et al. 307–308
Keller H. W. [Review of] Die Myxomyceten. 718–719
Kendrick W. B. see Crous et al. 447–450
Kerrigan R. W. [Review of] Mushroom biology and mushroom products. 721
Key
  agaricicolous species of Hypomyces 842–843
  Anthostomella 702
  Caloplaca 815–816
  Mucor 895
  Neohypodiscus 688
  Pseudotrichia 138
Khan R. S. see Krug et al. 250–253
Khan R. S. see Krug et al. 580–584
Kim Y. S. see Yoon, K. S., and Y. S. Kim. 593–601
Kimbrough J. W. see Wang, Y.-Z., and J. W. Kimbrough. 301
Klein R. E. see Bruehl et al. 773–776
Ko W. H. see Chern, L. L., and W. H. Ko. 416–420
Kobayashi T. see Kakishima, M., and T. Kobayashi. 263–265
Krug, J. C., R. S. Khan, and R. S. Jeng. A new species of Gelasinospora with multiple germ pores. 250–253
Krug, J. C., R. S. Khan, and S. Udagawa. A reappraisal of Areolospora bosensis. 580–584
Kwon Y. H. see Epstein et al. 72–81
Laessøe, T., and D. J. Lodge. Three host-specific Xylaria species. 436–446
Lam, C. K., F. C. Belanger, J. F. White Jr., and J. Daie. Mechanism and rate of sugar uptake by Acremonium typhinum, an endophytic fungus infecting Festuca rubra: Evidence for presence of a cell wall invertase in endophytic fungi. 408–415
Lamboy J. S. see Moloshok et al. 787–794
Laminin, Nomuraea rileyi 327–335
Largent D. L. see Wood et al. 560–562
Larsen, M. J., F. F. Lombard, and J. W. Clark. Phellinus sulphurascens and the closely related P. weirii in North America. 120–129
Laursen G. A. see Petrini, O., and G. A. Laursen. 714–715
Lawrey, J. D., A. Y. Rossman, and R. Lowen. Inhibition of selected hypocrealean fungi by lichen secondary metabolites. 501–505
Leaf litter fungi, in Costa Rica 187–198
Lee, J., and J. T. Mullins. Cytoplasmic water-soluble "beta"-glucans in Achlya: response to nutrient limitation. 235–241
Lefebvre M. N. L. see Ginns, J., and M. N. L. Lefebvre. 724
Lemke P. A. Basidiomycetes and the new genetics. 173–180
Lemoine M-C. see Gianinazzi-Pearson et al. 477–484
Leuchtmann, A., C. L. Schardl, and M. R. Siegel. Sexual compatibility and taxonomy of a new species of Epichloe symbiotic with fine fescue grasses. 802–812
Lewis D. H. see Read et al. 304–305
Li Y. D. see Zhang et al. 107–111
Lichen secondary metabolites, effect on hypocrealean fungi 501–505
Light and nutrition, influence on Basidiobolus ranarum 493–500
Lilly, W. W., R. E. Bilbrey, B. L. Williams, L. S. Loos, D. F. Venable, and S. M. Higgins. Partial characterization of the cellular proteolytic system of Schizophyllum commune. 563–569
Lodge D. J. see Laessøe, T., and D. J. Lodge. 436–446
Lombard F. F. see Larsen et al. 120–129
Longcore J. E. see Noyes Mollicone, M. R., and J. E. Longcore. 615–625
Loos L. S. see Lilly et al. 563–569
Lopez-Lastra C. see Pendland et al. 327–335
Lowen R. see Lawrey et al. 501–505
Lu, M., and K. Clay. Differential growth of Atkinsonella species on host grass calli. 667–673
Maas Geesteranus R. A. Mycenas of the Northern Hemisphere. I. Studies in Mycenas and other papers. II. Conspectus of Mycenas of the Northern Hemisphere; review 309–310
MacDonald J. D. see Jacobs et al. 112–115
Maddox J. V. see Castlebury et al. 458–460
Mahoney, C. J., and D. B. Strongman. Nematophagous fungi from cattle manure in four states of decomposition at three sites in Nova Scotia, Canada. 371–375
Maia, L. C., J. W. Kimbrough, and G. L. Benny. Ultrastructure of spore germination in Gigaspora albida (Glomales). 343–349
Manguin S. see Samuels et al. 421–435
Mata G. see Guzmán et al. 722
Mathur, S. B., and B. M. Cunfer. Eds. Seed-borne diseases and seed health testing of wheat; review 713–714
Mating population, Epichloe 802–812
Mating studies, Pythium 660–666
Mating system
  Didymium ovoideum 392–396
  hymenomycetes 743–757

Melanotus textilis 209–211
Mating type idiomorphs, filamentous ascomycetes 539–545
McClean T. M. see Miller et al. 89–95
McGrath M. T. Heterothallism in Sphaerotheca fuliginea. 516–522
McPartland J. M. Cannabis pathogens X: Phoma, Ascochyta and Didymella species. 870–878
McPartland, J. M., and S. J. Hughes. Cannabis pathogens VII: A new species of Schiffnerula cannabis. 867–869
Methuen A. S. [Review of] The lichen symbiosis. 715–716
Methven A. S. see Johnson, J. E., and A. S. Methven. 145–149
Microbial diversity, leaf litter fungi in Costa Rica 187–196
Mihail, J. D., M. Obert, S. J. Taylor, and J. N. Bruhn. The fractal dimension of young colonies of Macrophomina phaseolina produced from microsclerotia. 350–356
Miles P. G. see Chang et al. 720–721
Miller Jr., O. K. [Review of] Les Amanitopsis d'Europe. 712–713
Miller Jr., O. K. [Review of] The edible fungi south of the Sahara. 306–307
Miller Jr., O. K. see Jacobson, K. M., and O. K. Miller Jr. 510–515
Miller, S. L., P. Torres, and T. M. McClean. Persistence of basidiospores and sclerotia of ectomycorrhizal fungi and Morchella in soil. 89–95
Mitosis, Pleurotus ostreatus 593–601
Molecular karyotype, Fusarium acuminatum 203–208
Molecular phylogeny coprinoid fungi 96–106
Erysiphales 212–216
Moloshok, T. D., B. T. Terhune, J. S. Lamboy, and H. C. Hoch. Fractionation of extracellular matrix components from urediospore germlings of Uromyces. 787–794
Morton J. B. see Gianinazzi-Pearson et al. 477–484
Moser M. see Pelizzari et al. 554–559
Mueller G. M. Systematics of Laccaria (Agaricales) in the Continental United States and Canada, with discussions on extralimital taxa and descriptions of extant types; review 301–302
Mullins J. T. see Lee, J., and J. T. Mullins. 235–241
Murakami S. see Hibbett et al. 725–732
Mycoherbicide, Colletotrichum truncatum 397–400
Mycoparasitism, Tremella 49–56
Mycorrhizae, development 311–326
Nabors A. see Walker et al. 209–211
Nag Raj T. R. Coelomycetous anamorphs with appendage-bearing conidia; review 308–309
Nagy, R., and L. Hornok. Electrophoretic karyotype differences between two subspecies of Fusarium acuminatum. 203–208
Nakasone K. K. [Review of] Lignicolous corticioid fungi (Basidiomycota) of North America: systematics, distribution and ecology. 724
Nematophagous fungi, 371–375
Nematophagy, Pleurotus tuberregium 696–699
Neubert, H., W. Nowotny, and K. Baumann. Die Myxomyceten; review 718–719
Nicholson M. S. see Bunyard et al. 762–772
North, M., and J. M. Trappe. Small mammal exclosures for studies of hypogeous fungi. 585–586
Nowotny W. see Neubert et al. 718–719
Noyes Mollicone, M. R., and J. E. Longcore. Zoospore ultrastructure of Monoblepharis polymorpha. 615–625
Nuclear behavior, Lentinus, Panus and Neolentinus 725–732
Obert M. see Mihail et al. 350–356
Oberwinkler F. see Zugmaier et al. 49–56
Odor in mushrooms, 560–562
Okuda T. Variation in colony characteristics of Penicillium strains resulting from minor variations in culture conditions. 259–262
Olsen, K. K., and E. L. Schmidt. An attempt to quantify relative mycelial development of Phanerochaete chrysosporium using the fluorescein diacetate spectrophotometric assay. 741–742
Oospore germination, Pythium splendens 777–780
Oospores, staining in Peronospora viciae 454–457
Orton P. D. see Watling et al. 717–718
Overbo C. [Review of] A guide to Kansas mushrooms. 307–308
Ozone, effect on vesicular-arbuscular mycorrhizae 181–186
Palm M. E. [Review of] Cotton Diseases. 305
Pelizzari, V., E. Feifel, M. M. Rohrmoser, G. Gstraunthaler, and M. Moser. Partial purification and characterization of a toxic component of Amanita smithiana. 554–559
Pendland, J. C., C. Lopez-Lastra, and D. G. Boucias. Laminin-binding sites on cell walls of the entomopathogen Nomuraea rileyi associated with growth and adherence to host tissues. 327–335
Perkins D. D. How should the infertility of interspecies crosses be designated?. 758–761
Petäistö, R.-L., T. E. Rissanen, R. J. Harvima, and E. O. Kajander. Analysis of the protein pattern of Gremmeniella abietina with special reference to protease activity. 242–249
Peterson G. L. see Beck et al. 656–659
Peterson, R. H., and S. A. Gordon. Mating systems in hymenomycetes: new reports and new species. 743–757
Peterson, R. L., and M. L. Farquhar. Mycorrhizas-Integrated development between roots and fungi. 311–326
Petrini O. see Samuels et al. 421–435
Petrini, O., and G. A. Laursen. Eds. Arctic and alpine mycology; review 714–715
Pfister D. H. Orbilia fimicola, a nematophagous discomycete and its Arthrobotrys anamorph. 451–453
Phylogeny, Morchella 762–772
Pinkerton J. N. see Stone et al. 674–683
Polishook J. D. see Bills, G. F., and J. D. Polishook. 187–198
Population structure, Armillaria 401–407
Porter D. see Doggett, M. S., and D. Porter. 199–202
Portrait
Blackwell M. 2
Cooke W. B. 705
Nobles M. K. 296
Pomerleau R. 588
Postmeiotic mitosis, Suillus grunulatus 510–515
Powell M. J. see Vincent et al. 704–711
Predation of hypogeous fungi, 585–586
Presidential Address, Blackwell M. 1–17
Protease, in Gremmeniella abietina 242–249
Proteolytic system, Schizophyllum commune 563–569
Pseudothecia production, Capronia 290–295
Raju N. B. Ascomycete spore killers: Chromosomal elements that distort genetic ratios among the products of meiosis. 461–473
Rammeloo, J., and R. Walleyn. The edible fungi south of the Sahara; review 306–307
Read, D. J., D. H. Lewis, A. H. Fitter, and I. J. Alexander. Eds. Mycorrhizas in ecosystems; review 304–305
Reed, C. F., and D. F. Farr. Index to Saccardo's Sylloge Fungorum Volumes I-XXVI in XXIX, 1882–1972; review 305–306
Reproductive isolation, 751–761
Resting spores, Plasmodiophora brassicae 458–460
Rissanen T. E. see Petäistö et al. 242–249
Rivero, F., and E. Cerdá-Olmedo. Spore germination in Phycomyces blakesleeanus. 781–786
Rodrigues K. F. The foliar fungal endophytes of the Amazonian palm Euterpe oleracea. 376–385
Rodrigues, K. F., and G. J. Samuels. Letendraeopsis pal-

marum, a new genus and species of loculoascomycetes. 254–258
Rogers J. D. [Review of] Index to Saccardo's Sylloge Fungorum Volumes I-XXVI in XXIX, 1882–1972. 305–306
Rogers, J. D., J. K. Stone, and Y.-M. Ju. Anthostomella formosa var. abietis var. nov. and notes on Apiorhynchostoma. 700–703
Rogers, J. D., Y.-M. Ju, and T. Laessøe. Neohypodiscus nom. nov. for Hypodiscus. 684–690
Rogerson, C. T., and G. J. Samuels. Agaricicolous species of Hypomyces. 839–866
Rohrmoser M. M. see Pelizzari et al. 554–559
Rossman A. Y. [Review of] Monographic studies of North American species of Octospora previously ascribed to Lamprospora (Pezizales, Ascomycetes). 301
Rossman A. Y. see Lawrey et al. 501–505
Roux, C., A. J. Botha, and Van Warmelo K. T. Scanning electron microscopy of Stilbella annulata. 602–606
Royse D. J. see Bunyard et al. 762–772
Saenz, G. S., J. W. Taylor, and A. Gargas. 18S rRNA gene sequences and supraordinal classification of the Erysiphales. 212–216
Saikawa, M., N. Baba, and Y. Aoki. Electron microscopy of amoeba-capturing Dactylella tylopaga, showing the morphology of a basidiomycete. 474–476
Salmones D. see Guzmán et al. 722
Samuels G. J. see Rodrigues, K. F., and G. J. Samuels. 254–258
Samuels, G. J., O. Petrini, and S. Manguin. Morphological and macromolecular characterization of Hypocrea schweinitzii and its Trichoderma anamorph. 421–435
Saunders, G. A., and J. G. Hancock. Self-sterile isolates of Pythium mate with self-fertile isolates of Pythium ultimum. 660–666
Schardl C. L. see Leuchtmann et al. 802–812
Schenck N. C. see Bartolome-Esteban, H., and N. C. Schenck. 217–226
Schmidt E. L. see Olsen, K. K., and E. L. Schmidt. 741–742
Secreted proteins, Uromyces 787–794
Self-inhibitors, Anisogramma anomala 674–683
Sexual reproduction, Phytophthora parasitica 416–420
Sherald J. L. see Sticklen, M. B., and J. L. Sherald. 719–720
Sieber T. N. see Bissegger, M., and T. N. Sieber. 648–655
Siegel M. R. see Leuchtmann et al. 802–812
Sivapalan A. Observations on the morphology of germ tubes produced by conidia of powdery mildew fungi on the surface of water. 626–629
Smith O. P. see Beck et al. 656–659
Smith, S. N., D. Jeffers, and J. E. DeVay. Effect of glucose and biotin on the growth and sporulation of Fusarium species, especially pathogenic and nonpathogenic isolates of Fusarium oxysporum. 546–553
Soto-Velazco C. see Guzmán et al. 722
Speciation, Phellinus pini 523–538
Species criteria, 751–761
Species diversity, microfungi in Costa Rica 187–198
Spiegel F. W. see Cisar et al. 539–545
Sporangiosporogenesis, Zygorhynchus 57–71
Spore development, Zygorhynchus 57–71
Spore dispersal
  Discula quercina 635–647
  ectomycorrhizal fungi 506–509
Spore germination
  Gigaspora albida 343–349
  Phycomyces blakesleeanus 781–786
  Synchytrium endobioticum 733–740
Spore killers, activity in Ascomycetes 461–473
Spore longevity, ectomycorrhizal fungi and Morchella 89–95
Stalpers J. A. see Tan et al. 281–289
Stephenson S. L. see Clark, J., and S. L. Stephenson. 392–396
Sticklen, M. B., and J. L. Sherald. Eds. Dutch elm disease research: cellular and molecular approaches; review 719–720
Stone, J. K., J. N. Pinkerton, and K. B. Johnson. Axenic culture of Anisogramma anomala: Evidence for self-inhibition of ascospore germination and colony growth. 674–683
Strongman D. B. see Mahoney, C. J., and D. B. Strongman. 371–375
Sugar uptake, Acremonium typhinum 408–415
Sun B. L. see Vilgalys, R., and B. L. Sun. 270–274
Sutherland, J. B., F. E. Evans, J. P. Freeman, A. J. Williams, J. Deck, and C. E. Cerniglia. Identification of metabolites produced from acridine by Cunninghamella elegans. 116–119
Tan, C. S., IJ. A. Vlug, J. A. Stalpers, and C. W. van Ingen. Microscopical observations on the influence of the cooling rate during freeze-drying of conidia. 281–289
Taylor J. W. see Saenz et al. 212–216
TeBeest D. O. see Cisar et al. 539–545
Teliospore germination, Puccinia rutainsulara 485–492
Temperature, effect on Phytophthora hormone production
Terhune B. T. see Moloshok et al. 787–794
Tetrazolium bromide, staining oospores 454–457
Theirs H. D. [Review of] The boletes of North America. 712
Thorn P. G. see Hibbett, D. S., and R. G. Thorn. 696–699
Tissue culture, growth of endophytes 667–673
Tooley P. W. see Beck et al. 656–659
Torres P. see Miller et al. 89–95
Toxicology, Amanita smithiana 554–559
trans-2-Nonenal, presence in mushrooms 560–562
Transformations, in Basidiomycetes 173–180
Trappe J. M. [Review of] Arctic and alpine mycology. 714–715
Trappe J. M. see Cázares, E., and J. M. Trappe. 506–509
Trichothecens, Fusarium acuminatum 203–208
Tsuneda A. see Hibbett et al. 725–732
Udagawa S. see Krug et al. 580–584
Uecker F. A. Ontogeny of the ascoma of Glomerella cingulata. 82–88
Uecker F. A. [Review of] Coelomycetous anamorphs with appendage-bearing conidia. 308–309
Untereiner W. A. A simple method for the in vitro production of pseudothecia in species of Capronia. 290–295
van der Gaag D. J. The effect of pH on staining of oospores of Peronospora viciae with tetrazolium bromide. 454–457
van Ingen C. W. see Tan et al. 281–289
Van Warmelo K. T. see Roux et al. 602–606
van Wyk, P. W. J., and M. J. Wingfield. Ulstructure of ascus arrangement and ascospore development in Ophiostoma seticolle. 607–614
Venable D. F. see Lilly et al. 563–569
Vescicular-arbuscular mycorrhizae, effect of ozone 181–186
Vilgalys, R., and B. L. Sun. Assessment of species distributions in Pleurotus based on trapping of airborne basidiospores. 270–274
Vincent, M. A., M. J. Powell, and H. H. Burdsall Jr. William Bridge Cooke, 1908–1991. 704–711
Vlug IJ. A. see Tan et al. 281–289
Volk T. J. [Review of] PolyKey: A computerized synoptic key to 100 genera and over 400 species of polyporaceous, wood rotting fungi of North America, Mac-version 1.0. 302–304
Walker, G. R., A. Nabors, S. Gelinas, and J. F. Ammirati. The mating system of Melanotus textilis. 209–211

Wall structure, Glomales 477–484
Walleyn R. see Rammeloo, J., and R. Walleyn. 306–307
Wang, Y.-Z., and J. W. Kimbrough. Monographic studies of North American species of Octospora previously ascribed to Lamprospora (Pezizales, Ascomycetes); review 301
Watanabe T. Cylindrocladium tenue comb. nov. and two other Cylindrocladium species isolated from diseased seedlings of Phellodendron amurense in Japan. 150–155
Watanabe T. Two new species of homothallic Mucor in Japan. 691–695
Water storage, wood-decaying Basidiomycetes 275–280
Watling, R., N. M. Gregory, and P. D. Orton. British fungus flora, agarics and boleti, 7 Cortinariaceae p.p.; review 717–718
Watson R. L. see Wood et al. 560–562
Weber H. Ed. Allgemeine Mykologie; review 723–724
Wells K. Jelly fungi, then and now! 18–48
Wetmore C. M. The lichen genus Caloplaca in North and Central America with brown or black apothecia. 813–838
White Jr., J. F. Endophyte-host associations in grasses. XX. Structural and reproductive studies of Epichloe amarillans sp. nov. and comparisons to E. typhina. 570–579
Widden P. see Duckmanton, L., and P. Widden. 181–186
Williams A. J. see Sutherland et al. 116–119
Williams B. L. see Lilly et al. 563–569
Wilson, D., and G. C. Carroll. Infection studies of Discula quercina, an endophyte of Quercus garryana. 635–647
Wingfield M. J. see van Wyk, P. W. J., and M. J. Wingfield. 607–614
Wood, W. F., M. L. Brandes, R. L. Watson, R. L. Jones, and D. L. Largent. trans-2-Nonenal, the cucumber odor of mushrooms. 560–562
Worrall J. J. Population structure of Armillaria species in several forest types. 401–407
Yang A. F. see Hampson et al. 733–740
Yeasts in Populus, 386–391
Yoon, K. S., and Y. S. Kim. Ultrastructure of mitosis and clamp formation in the somatic hyphae of Pleurotus ostreatus. 593–601
Zhang, K. M., F. C. Zheng, Y. D. Li, P. J. Ann, and W. H. Ko. Isolates of Phytophthora colocasiae from Hainan Island in China: evidence suggesting an Asian origin of this species. 107–111
Zheng F. C. see Zhang et al. 107–111
Zhu, H., B. P. Dancik, and K. O. Higginbotham. Regulation of extracellular proteinase production in an ectomycorrhizal fungus Hebeloma crustuliniforme. 227–234
Zoospore ultrastructure, Monoblepharis polymorpha 615–625
Zugmaier, W., R. Bauer, and F. Oberwinkler. Mycoparasitism of some Tremella species. 49–56

FUNGOUS TAXA INDEX

The names of new taxa and the pages on which they are published are in boldface. Illustrations are indicated by the letter following the page number on which the figure(s) occur.

Acariniola 5–6
Acaulospora 224, 477–479, 482
  capsicula 633
  cavernata 633
  laevis 217, 343, 478–479, 481f, 483
  longula 217
  paulineae 633
  polonica 633
  polylamina 633
  scrobiculata 219, 222–223, 478–479, 481–482f, 483
  spp. 343
Acaulosporaceae 478–479, 481, 483
Achlya
  ambisexualis 235–236, 238–239
  bisexualis 235
  heterosexualis 235–238
  spp. 238
Acremonium 408, 413, 578, 635, 805
  sect. Albo-lanosa 570, 578, 802
  chisosum 775
  coenophialum 577–578, 667, 774–775, 805
  curvulum 652
  inebrians 774f
  lolii 775
  sp. 191–193, 380
  spp. 642, 773
  starrii 577, 774–775
  typhinum 408–414
  typhinum var. bulliforme 577
  typhinum var. fasciculatum 572f, 577
  uncinatum 577
Acrodictys
  elaeidicola 380, 382
Acrodontium
  crateriforme 193
Agaricales 19, 44, 96, 506, 560, 743, 839
Agaricostilbum
  pulcherrimum 19
Agaricus
  bisporus 20, 227, 231–233, 842
Agrocybe
  praecox 96–103, 277
  sp. 277
Alpova
  diplophloeus 93
Alternaria 196
  alternata 872f, 875
  tenuis 223
  tenuissima 650
Amanita
  frostiana 848
  muscaria 414, 848
  neoovoidea 554
  pseudoporphyria 554
  rubescens 848
  smithiana 554–558, 556f
  spp. 849, 554
Ambrosiozyma
  platypodis 9
Amphiporthe
  castanea 648, 651–654
Amphisphaeria
  tumulata 701–702
Amphisphaeriaceae 684, 702
Amphoromorpha 1, 3, 6–7
  blattina 4f, 7
  entomophila 4f, 7
Amphoropsis 1, 3
Amylocystis
  lapponica 277
Amyloflagellula
  pseudoarachnoidea 743
Anisogramma
  anomala 674–683, 677–678f, 680f
Anixiella
  spp. 543
  sublineata 539
Anomoporia
  albolutescens 277
  bombycina 277
Antennopsis 3
  gallica 4f
Anthostoma
  apiculata 702
Anthostomella 700
  brachystoma 700–701
  formosa var. abietis 700, 701f, 701–702
  formosa var. taxi 700
  rehmii 700
  sabiniana 700, 702
  sequoiae 701
  sp. 380, 702
Antrodia
  gossypina 282, 284, 286–288
  oleracea 277
  serialis 277
  sinuosa 277
Antrodiella
  romellii 277
  semisupina 277
Apatoplaca 813, 828
  oblongula 828
Aphyllophorales 743, 839, 857
Apiocrea 839
  hyalina 848
Apiognomonia 636, 640
  errabunda 636, 644
Apiorhynchostoma 684, 702
  curreyi 701f, 701
  tumulatum 701f, 701–702
Aporpiaceae 43
Aporpiales 43
Aporpium 43
Aquathanatephorus 42
Ardhachandra
  cristaspora 193
Areolopora 580
  bosensis 580–584, 581–582f
  terrophila 580, 583

Armillaria 112, 114, 401–407, 535–536, 763
bulbosa 114
calvescens 401–406
gallica 112, 114, 401–406
gemina 401–406
mellea 112–114
ostoyae 401–406
sinapina 405
tabescens 277
Arrhytidia 43
Arthrobotrys 338, 451, 474, 476
arthrobotryoides 372, 374
conoides 372, 374
dactyloides 451
flagrans 371–374, 375
longispora 372, 374
musiformis 372, 374
oligospora 372, 374
oviformis 372, 374
pyriformis 372, 374
robusta 372, 374
sp. 452f
superba 282, 283f, 284–289, 372, 374, 451, 453
Arxiella
terrestris 193, 196
Ascobolaceae 539
Ascobolus 213
lineolatus 212–213
stercorarius 540–541, 543–544
Ascocalyx
abietina 242
Ascochyta 870, 877
arcuata 870, 872f, **873**, 874, 876–877
cannabina 870, 876
cannabis 870–871, 874, 876
phaseolorum 873–875
prasadii 870, 876
solidaginis 546, 549f
sp. 873
urticae 877
urticicola 877
Ascolanthanus 5
Ashbya
gossypii 351
Aspergillus 190, 204, 233
candidus 282, 286–289
flavus 583
fumigatus 9, 10
nidulans 174–176, 179, 227, 232
spp. 227, 413
Asperisporium 448
Asterosporium
sp. 650
koae 491
Athelia
bombacina 9
galzinii 277
munda 277
rolfsii 20
Atkinsonella 668–669, 672
hypoxylon 667–668, 669f, 670–671
texensis 667–668, 670–671
Atractiella
solani 19
Aureobasidium 196
pullulans 650
Auricularia 34, 43
auricula-judae 22, 27, 34–35, 37
cornea 41
delicata 35, 42
fuscosuccinea 22, 34–35, 37–38, 42
mesenterica 22, 24, 34, 37, 277
polytricha 24, 41–42
tenuis 24, 41
Auriculariaceae 18, 34, 37–38, 43
Auriculariales 18, 20, 27, 29, 34, 38, 43
Backusella 691
Balansia
sclerotica 9
Basidiobolus 7, 336, 341, 493, 498–499
haptosporus 499
microsporus 493, 499
ranarum 4f, 7, 336–341, 337f, 341f, 493–500, 495–498f
Basidiodendron 34, 43
cinereum 21f, 22, 35, 38
eyrei 23, 34
Beauveria
bassiana 227
Beltrania
rhombica 193, 195
Berlesiella
fungicola 294
Bia[illegible]ra
fo[illegible]stroemiana 824
Bjerkandera
fumosa 277
Blastenia 813
austroshetlandica 835
brittonii 824, 826
guadeloupensis 824
herrei 818
moreliiensis 834
nigricans 832
obscurella 828–829
pollinii 832
Blastomyces
dermititidis 9
Blumeria
graminis 519, 627, 628f, 629
graminis f.sp. hordei 212–215
Bolbitiaceae 96–98
Bolbitius 96
vitellinus 96–103
Boliniaceae 684
Bombardia
lunata 471
Bondarzewia
berkeleyi 277
Boreostereum
radiatum 277
Botryobasidium
vagum 20
Bourdotia 43
Bulgaria
inguinans 471
Byssonectria
lateritia 851
Calicium 213
tricolor 212–213
Callopisma
cinnabarina var. pallidius 836
conversum 821
floridanum 827
fuscolividum 824
sarcopisioides 828–829
tenellum 824
Calocera 43
cornea 22
viscosa 22
Caloceraceae 43
Calocerales 43
Calonectria
crotalariae 150
hederae 150
kyotensis 150
sp. 380
Caloplaca 813–814, 828, 836
albovariegata 813, 815, **816**, 817, 819, 833–834
alociza 834
amabilis 836
atroalba 814–817, 819, 828, 831, 833–834
atrocyanescens 834–835
atrosanguinea 815, 818–819, 832, 834
brunneola 813, 815, **818**,819-820
caeruleoatra 827, 836
camptidia 815, 820, 822–824, 836
catalinae 834
cerina 837
chalybaea 835
conversa 813–815, 821–822
cupreorufa 835
dakotensis 813, 815, 820, 822, **823**, 829
diducenda 835
diphasia 813, 815, 822, **823**, 835
diphyodes 817, 834
diplacia 814–815, 822, 824, 826
diplacioides 824, 826
exsecuta 813, 836
ferruginea var. nigricans 832
floridana 815, 822, 827, 836
fraudulenta 834
fuscolivida 824, 826
groenlandica 834
kurzii 826
neotropica 813–815, 822, **827**
nigricans 832
oblongula 813–815, 817, 822, **828**, 834
obscurella 814–815, 820, 822–823, 828–829
pallescens 835–836
pallidior 836
parvula 813, 815, 822, **831**
paulsenii 834
peliophylla 815, 822, 831
pelodella 837
phaeocarpella 832
pollinii 813–815, 822, 827–828, 832, 836
pollinii var. major 832
russeola 837
sarcopisioides 820, 828
spadicea 814, 820, 836
spaldingii 834
spp. 834
squamulata 828
subdolosa 824
subnigricans 818
subsequestra 824
suspiciosa 827, 836
tenella 824, 826
transcaspica 836
ursina 826, 836
vacillans 837
variabilis 815–817, 833, 835
Campanella 755–756
aeruginea 743–744, 744–745f, 746
rubescens 743, 746
Candida 204, 328, 334, 390
albicans 9, 327–329, 331, 333
ernobii 387
tropicalis 9
Capronia 290
acutiseta 290–292, 293f
coronata 291–292
epimyces 290–292
fungicola 290–292, **294**
mansonii 290–292, 293f
moravica 290–292, 294
parasitica 291, 294
pilosella 291–292, 294
pinicola 290–292, 293f, 294
pulcherrima 291, 294
sp. 290–292
spp. 292, 294
villosa 291–292
Carcinomyces 44
effibulatus 23, 39
Carcinomycetaceae 18, 44, 55
biguttulatum 369
Catathelasma
ventricosa 560–561
Catenaria 338
anguillulae 372, 374
Cenococcum 92, 94
geophilum 89, 174
Cephaloascus
fragrans 9
Ceratobasidiaceae 18, 42
Ceratobasidiales 18, 20, 42
Ceratobasidium 18, 42

calosporum 27
cornigerum 20, 21f, 22
obscurum 22
ramicola 22
Ceratocystaceae 358
Ceratocystiopsis 607, 612
Ceratocystis 607, 612
fimbriata 9, 612
moniliformis 612
spp. 12
ulmi 368, 587
virescens 9
Ceratorhiza
goodyerae-repentis 320f
Ceratostoma 357
Ceratostomataceae 358, 369
Cercophora
septentrionalis 9
Cerinomyces 43
aculeatus 22, 29, 35
altaicus 21f, 22
Cerinomycetaceae 43
Cerrena
unicolor 277
Ceuthospora 700
Chaetomiaceae 357, 369
Chaetomiales 368
Chaetomidium 369
Chaetomium 87, 213, 369
elatum 212–213
globosum 9
Chaetophoma
sp. 193
Chaetopsina 447
Chaetospermum
carneum 192
Chaetosticta
sp. 192
Chalara
cylindrosperma 192, 195
Cheimonophyllum
candidissimum 750
Chionosphaera
apobasidialis 19
Chloridium
phaeosporum var. cubense 192, 195
preussi 380
Choanephora
cucurbitarum 67
Christiansenia 39, 44
pallida 23, 39, 41, 49, 55
Chromocrea
spinulosa 471
Chytridiales 623–624
Cladobotryum 840, 863
arnoldii 839, 842, 853–854
clavisporum 863
dendroides 842, 858, 860
fungicolum 863
mycophilum 839, 856f, 857, 858–859f, 860
succineum 861
tulasnei 839, 842, 846, 853
verticillatum 839, 844–845f, 846, 853
Cladosporium 196, 290, 294, 606
cladosporioides 191, 196
Claviceps 87
paspali 9
purpurea 773–775
Clavicipitales 802
Climacodon
septentrionalis 278
Clintoniella
apiculata 843
Clitocybe
nuda 278
Clitopilus
prunulus 560–561
Clonostachys
sp. 192–193
Clypeosphaeria 702
Clypeosphaeriaceae 684
Coccodiella 88
Cochliobolus 461, 468–469, 758
heterostrophus 206, 461, 468, 468f
Coleosporium
petasitis 490
tussilaginis 491
Colletotrichum
acutatum 541, 543–544, 652
gloeosporioides 82–83, 85, 194, 206, 379–380, 382, 384, 681
graminicola 681
heterostrophus 543
sp. 191, 380
spp. 72–80
trifolii 540–541, 544
truncatum 397–399, 398f
Collybia 743, 748
sect. Collybia 748
sect. Iocephalae 748
sect. Levipedes 748
sect. Maculatae 748
sect. Striipedes 748
sect. Subfumosae 748
sect. Vestipedes 748
alkalivirens 748
brunneola 748
butyracea 748
cirrhata 748
cookei 748
dichrous 743, 746f, 747–748
distorta 748
dryophila 748
earliae 748
fusipes 748
impudica 748
iocephala 743, 747–748
maculata 748
marasmioides 748
peronata 748
polyphylla 748, 743
praecutis 748
putilla 748
subnuda 748
subsulphurea 748
tuberosa 747–748
Comatricha
lurida 395
Coniella
castaneicola 650–652
Coniochaeta
microspora 580
Coniothyrium 877
Copranophilus 3, 5
Coprinaceae 97–98, 104
Coprinus 96, 98, 103
sect. Hemerobii 96
sect. Impexi 98
sect. Lanatuli 96
sect. Pseudocoprinus 101
sect. Setulosi 96
atramentarius 96–97, 99–102, 104
cinereus 96–97, 99–103, 173–174, 178, 227, 231–233, 568, 600, 795
comatus 96–97, 99–104
cordisporus 96–97, 99–102
curtus 96–104
lagopus 533
micaceus 96–97, 99–103
patouillardii 99
plicatilis 96–97, 99–103
sterquilinus 103
Cordana
musae 193, 195
Cordyceps 87
Coreomycetopsis 1, 3, 8
oedipus 3, 4f, 5
Corticiaceae 20, 534
Corticium
meridioroseum 278
Cortinarius 507–508, 795
bigelowii 795, 800
magnivelatus 795–798, **797**, 798f
orellanoides 554–555
orellanus 554
saxamontanus 795–800, **798**, 799–800f
wiebeae 798
Corynascus
sepedonium 369
Corynespora
cassiicola 192
Coryneum
modonium 648, 650, 652–653
Craterocolla 43
cerasi 23
Crepidotus 865
Crinipellis 440
Cryphonectria
parasitica 648–651, 653–654, 658, 682
Cryptococcus 97, 390
laurentii 387
neoformans 9, 174
skinneri 387
Cryptodiaporthe
hystrix 667
Cryptomycocolax
abnorme 19
Cryptophiale
sp. 191, 195
Cryptosphaeria
acuta 877
Cryptosporiopsis
grisea 650
spp. 653
Cunninghamella
elegans 116–119
Curvularia
lunata 282, 284, 286–288
pallescens 380
Cylindrocarpon 194
ianthothele var. majus 282, 286
spp. 196
Cylindrocladiella 154
Cylindrocladium 154
camelliae 150, 152f
colhounii 150–151, 152f, 154
crotalariae 150
floridanum 150
hederae 150
ilicicola 150, 154
intermedium 154
macrosporum 150
parvum 150, 151
penicilloides 150, 154
scoparium 150, 154
sp. 191
spp. 150
tenue 150–151, 152–153f, 154
Cylindrosympodiella
sp. 187, 191, 194
spp. 195
taiwanensis 191
Cystofilobasidium 44
bisporidiis 35
capitatum 23, 35, 39
infirmominiatum 23
Cystopage
sp. 372–375
Cystotheca
lanestris 519
Dacrymyces 18, 43
abietinus 22
dendrocalami 22
sp. 22
stillatus 22, 28, 30–31f, 31
unisporus 22, **31**, 32–33f
Dacrymycetaceae 18, 43
Dacrymycetales 18, 27, 38, 43
Dacryonaema 43
Dacryopinax 43
spathularia 29
Dactylaria
acerosa 191
sp. 192–193, 195
Dactylella 336, 476
gampsospora 282, 283f, 284–289
rhopalota 452–453
spp. 474
tylopaga 474–476, 475f

Dactylium
mycophilum 857
Daedalea
vorax 524
Daldinia 689
aspera 686–687, 689
concentrica 9, 688
eschscholzii 380
exsurgens 689
Dendrodochium
sp. 380
Dendrophoma
marconii 873–874
Dendrosporium
lobatum 192, 195
Depazea
cannabis 871, 873
Dermocybe 508
Diachora 88
Diaporthales 358, 636, 674
Diaporthe 87, 357, 369
phaseolorum 9
Diatrype
stigma 51, 53
Dicellomyces
scirpi 34
Dichomyces
biformis 4f
Dicranidion 452
Dictyochaeta
gamundii 193
sp. 192, 195
Dictyotrichiella
semiimmersa 292
Didymella
arcuata 870, 873–874, 877
cannabis 870, 872f, 877
eupyrena 877
urticola 877
Didymium 763
iridis 392–393, 395
ovoideum 392–395
Digitosarcinella 868
Diplocladium
cylindrosporum 154
Diplodia
sp. 192
Diplodina
cannabicola 870–871, 872f, 873
castaneae 650, 652–653
parietaria f. cannabina 870–871, 873
Diploplenodomus
piskorzii 877
Discella
castanea 650, 653
strobilina 243
Discula
platani 636, 643
quercina 635–647
spp. 636
umbrinella 382, 636, 643
Ditiola 43
haasii 22
Dothiorina
sp. 193
Drechmeria 336, 338
coniospora 372, 374
Ductifera 43
Efibulobasidium 34, 37, 43
rolleyi 23
Eichleriella 43
Elaphomyces 507–508
granulatus 506, 508, 586
muricatis 506
Elmerina 43
caryae 21f, 23, 37
Endocronartium
harknessii 490
sahoanum 491
Endogonales 346, 478, 482–483
Endogone 346
pisiformis 478–479, 481, 481f
Endomycetales 12
Endosporella 1, 3, 6
diapsis 4f
Endothiella
parasitica 650
Endoxyla 702
madidum 560–561
Entolomataceae 137, 560
Entomocosma 1, 3, 6
Entomophthorales 477, 483
Entonaema 689
Entrophospora
infrequens 633
spp. 343
Eocronartium
muscicola 19
Epichloe 802–807, 809–811
amarillans 570–578, **571**, 572f, 574–576f
baconii 571, 577, 802, 804–807, 809–810
clarkii 571, 577, 802, 804–807, 809–810
festucae 802–807, **809**, 809f, 810–811
spp. 570, 577–578
typhina 408–409, 570–578, 572f, 574–576f, 773–775, 802–807, 809–811
Epicoccum 196
purpurascens 650
Epipolaeum
abietis 700
Epulorhiza 475
Eremascus 213
albus 212
Eriocercospora 448
Erysiphaceae 516, 519
Erysiphales 212, 215
Erysiphe
aquilegiae 627
artemisiae 627
beta 627
cichoracearum 516, 519, 627, 628f, 629
communis var. urticirum 870–871, 872f, 873
cruciferarum 627
cynoglossi 627, 629
depressa 627, 628f
fischeri 627
galeopsidis 627
graminis 519, 629
heraclei 627, 628f
knautiae 627
pisi 413, 627, 628f
polygoni 516, 518–519, 627, 629
ranunculi 627
salviae 627
sordida 627
verbasci 627
Eupenicillium 259
hirayamae 259–261
Eurotium 213
rubrum 212
Eutremellales 43
Exidia 34, 43
candida 23, 25f, 35
glandulosa 20, 23, 27, 34–35
pithya 34–35
populi 35
recisa 34
repanda 35
thurentiana 23
truncata 23, 34–35
uva-passa 35
zelleri 35
Exidiaceae 20, 34, 37
Exidiopsis 34, 43
calcea 23, 25f, 35
calospora 27
diversa 34–35
effusa 23, 35
fugacissima 23
glaira 34–35
grisea 23, 35
longispora 34
paniculata 35
plumbescens 23, 34, 41
plumbescens var. fabalispora 35
plumbescens var. plumbescens 35
punicea 35
sublivida 23
vermifera 23
Exobasidiales 19, 34
Exophiala 290, 294–295
acalophila 291
angulospora 291–292
jeanselmei var lecanii-corni 291
jeanselmei var. heteromorpha 291
jeanselmei var. jeanselmei 290–292, 293f, 294–295
mansonii 291–292
moniliae 291
pisciphila 291–292
psychrophila 291–292
salmonis 291–292
sp. 192
spinifera 292, 294
Femsjonia 43
Fibulobasidium 44
inconspicuum 23, 39
Fibulosebacea 43
Filobasidiaceae 18, 39, 41, 44, 55
Filobasidiales 18, 39, 41, 44
Filobasidiella 44
neoformans 23, 35, 39, 49
Filobasidium 44
capsuligenum 24, 35
floriforme 24, 35, 39, 49
uniguttulatum 24, 35
Flammulina
velutipes 795
Flavoparmelia
baltimorensis 501–504
Fomes
abietis 523
chrysoloma 523
weirii 128
Fomitopsis
pinicola 534–535
Furcaspora
pinicola 700
Fusarium 203–205, 207, 546
sect. Arthrosporiella 203, 206
sect. Sporotrichiella 203, 206–207
acuminatum 203–205
acuminatum subsp. acuminatum 203–207
acuminatum subsp. armeniacum 203–207
avenaceum 282, 284, 286–287
culmorum 547
decemcellulare 192, 196
dimerum 547
episphaeria 547–548, 550
graminearum 546–547, 551
lateritium 547–548, 549f
lateritium var. stilboides 547–548, 550
moniliforme 461, 466, 547–548, 549f
oxysporum 203, 379–380, 546–553, 549f
oxysporum f. sp. apii 552
oxysporum f. sp. ciceris 552
oxysporum f. sp. medicaginis 547, 551
oxysporum f. sp. niveum 546
oxysporum f. sp. spinaciae 552
oxysporum f. sp. tracheiphilum 546–547, 551, 553
oxysporum f. sp. vasinfectum 546–549, 548–549f, 551, 553
rigidiusculum 547–548, 550
roseum 547–548, 550
sacchari var. elongatum 380
semitectum 380, 547
semitectum var. majus 379–380

solani 191, 196
solani f. sp. cucurbitae 203, 547–548, 549f, 550
solani f. sp. phaseoli 547–548, 550
sp. 191–193, 243, 249, 640
sporotrichioides 203–204, 206–207
spp. 196, 547, 551–552
tricinctum 547–548, 550
verticillioides 380
Fuscoboletinus 587
Fusicoccum 877
castaneum 653
Gaeumannomyces 763
graminis var. avenae 79
graminis var. graminis 72–80, 74f, 77–78f
graminis var. tritici 79
Galzinia
culmigena 20, 21f
Gasparrinia 813, 831
Gastroboletus
ruber 506
Gautieria
monticola 91, 506
Gelasinospora 250, 253, 543
sect. Levae 253
calospora 539
cerealis 253
cratophora 253
foveaconica 253
hippopotama 250, 251–252f, 253
inversa 253
reticulospora 539
Genea 507
Geniculosporium
sp. 193
Geotrichum
sp. 191
Gibberella 461, 464, 467–469, 472, 758
fujikuroi 461, 466–467, 467f, 540–541
fujikuroi var. moniliformis 467
fujikuroi var. subglutinans 467
Gigaspora 224, 343–344, 346, 348, 477–480, 482
albida 217, 219–220, 343–348, 345f, 347f
decipiens 477, 481
gigantea 217, 219–220, 346, 633
margarita 217, 219–220, 343, 346, 478, 483
rosea 478–479, 481–482f, 483
spp. 217
Gigasporaceae 478, 481
Gilbertella 499
persicaria 57, 65–71
Gliocladiopsis
sagariensis 154
tenuis 154
Gliocladium
roseum 191, 196
Gloeocystidiellum
furfuraceum 278
Gloeotulasnella 20, 42
calospora 20, 27, 29, 28–29f
Glomaceae 477, 479, 481, 483
Glomales 343, 346, 477–480, 483, 630
Glomerella 82, 87–88
cingulata 82–88, 84f, 86f, 88, 187, 191, 194, 196, 539–541, 543–544
gossypii 82
lycopersici 82
Glomus 217–218, 222, 224, 346, 477–479, 481–482
aggregatum 633
caledonium 633–634
clarum 219, 222–223
constrictum 633
coronatum 630–634, 631f
deserticola 633
etunicatum 219, 222, 633
fasciculatum 633
fistulosum 478, 480f, 483
globiferum 633
hoi 633
intraradices 478, 483
macrocarpum 633–634
manihot 217–219, 222, 224
microcarpum 633
mosseae 217, 224, 313, 477–479, 480f, 482f, 483, 633–634
occultum 633
pansihalos 633
sp. 633
spp. 343
versiforme 217, 313, 314f
Gnomonia 87
pleurostyla 727
ulmea 587
Gnomoniaceae 636, 674
Gonapodya 615
Gonapodyaceae 615
Gonytrichum
chlamydosporum 192, 196
Grandinia
arguta 278
crustosa 278
hastata 278
nespori 278
spathulata 278
Graphiolales 19
Graphium
sp. 380
Gremmeniella 242, 248–249
abietina 242–249
abietina var. abietina 242
abietina var. balsamea 242
laricina 242
Guepiniopsis 43
chrysocomus 21f, 22
Guignardia
sp. 700
Guilia
sp. 192
Gyrothrix
pediculata 193, 195
Habrostictis 452
Halosphaeria
mediosetigera 9
Hansenula 390
minuta 389
nonfermentans 390
Hansfordia
sp. 193
Haplographium
catenatum 193
Harpochytrium 623
Harposporium 453
anguillulae 371–375
lilliputanum 372, 374
Hebeloma 508
crustuliniforme 227–233, 414
cylindrosporum 174, 178
Helicobasidium
mompa 19, 600
Helicodendron 290
pinicola 294
farinacea 278
longispora 27
variabilis 19
Heliocybe 697
Helminthosporium
oryzae 667
Hemileia
gardeniae-floridae 263
gardeniae-thunbergiae 263
Hericium
abietis 278
coralloides 278
Herpotrichia 133
Herpotrichiellaceae 290
Heteroacanthella 44
acanthophysa 24
variabile 24
Heterobasidion
annosum 533–535
Heterochaete 43
Heterochaetella 43
dubia 23, 25f
Heteroconium
chaetospira 294
Heterogastridium
pycnidioideum 19
Heteroscypha 43
Heteroscyphaceae 43
Heterotextus 43
Hirneola 43
Hirschioporus
abietinus 535
Histoplasma
sp. 547
Hobsonia
christiansenii 501–502, 504
Hohenbuehelia 747, 751
Holtermannia 44
corniformis 35
Hormiscioideus 3
Hortaea
werneckii 290, 292, 294
Hyaloria 43
pilacre 37
Hyaloriaceae 18, 37, 43
Hydnangium
carneum 317f
Hymenogaster
glacialis 508
Hymenoscyphus
ericae 227, 231, 318
Hyphoderma
clavigerum 278
mutatum 534
Hyphodontia
sp. 278
Hypholoma
capnoides 278
sp. 278
Hypocrea 422, 424, 426, 433–434
subsect. Hypocrea 421
apiculata 843, 846
atra 855
jecorina 421, 427f, 428, 433–434
lateritia 851
luteovirens 839, 854–855
pallida 9
rufa 422–423, 425
schweinitzii 9, 421–423, 425–426, 427f, 428, 431f, 433–434
spp. 421, 423, 429, 432
tremellicola 863
Hypocreaceae 539, 839
Hypocreales 358, 434, 501, 503, 839
Hypocreopsis
tremellicola 863
Hypodiscus 684
collabens 684, 688
exsurgens 684, 689
micropus 689
microsporus 689
placentiformis 684, 689
rickii 684, 685
rickii var. microspora 689
spp. 689
Hypomyces 87, 839–840, 849, 854
apiculatus 842
armeniacus 839–840, 841f, 843, 844–845f, 846
atra 854
banningiae 840, 841f, 842, 846, 847f, 848, 857
batavus 860
camphorati 851
cervinigenus 861
chrysostomus 848, 861
hyalinus 839–840, 841f, 842–843, 847f, 848–849
inaequalis 848
insignis 849
lactifluorum 839–840, 841f,

842–843, 849, 850f, 855, 857, 860
lanceolatus 848
lateritius 839–840, 841f, 842, 846, 850f, 851, 853–854, 860
lithuanicus 839–840, 841f, 842, 852f, 853–854, 860
luteovirens 840, 841f, 842, 852f, 854–855, 860
macrosporus 839–840, 841f, 842–843, 848–849, 855, 857, 856f, 860
ochraceous 839, 846
odoratus 839–840, 841f, 843, 856f, 857, 858–859f, 860
petchii 839–840, 841f, 842–843, 859f, 860
polyporinus 861, 863
porphyreus 839–840, 841f, 842–843, 860–861, 862f
purpureus 849
rosellus 842, 858, 860
semitranslucens 861
spp. 842, 848, 855, 860
succineus 839–840, 841f, 842–843, 861, 862f, 863
terrestris 843, 846
thiryanus 853–854
torminosus 841f, 852f, 853–854
transformans 849
tremellicola 839–840, 841f, 842–843, 863, 864f, 865f, 865
tulasneanus 855, 863
vanbruntianus 848
viridis 855
volemi 851
vuilleminianus 853
xylophilus 843, 846
Hypoxylon 684, 689
areolatum 689–690
atroroseum 9
cerebrinum 684, 686–687, 689
collabens 688
exsurgens 689
fragiforme 650, 652, 654
haematostroma 690
herculeum 685f, 686–687, 689
irradians 686
lophiostomoides 686–687
magnum 689
mulleri 689
placentiforme 689–690
quisquiliarum 380
sclerophaeum 684, 688–690
sclerophaeum var. macrospora 689–690
serpens 380, 382
sp. 380
starbaeckii 689–690
stjanianum 690
stygium 380, 382
wrightii 686
Hypsostroma 266, 269
Hypsostromataceae 266, 269
Idriella 379
amazonica 380
asaicola 380
euterpes 380, 382–383
lunata 191, 196
sp. 191, 193
Inocybe 508
Inonotus 120, 127
dryadeus 278
heinrichii 120
sulphurascens 120, **127**, 128
weirii 120, 128
Isothea 88
Junghuhnia
luteoalba 278
Kernella 487–488, 490
lauricola 485
Kionochaeta 447
pini 447, 448f
Kluyveromyces 213
lactis 212–213
spp. 204
Kriegeria
eriophori 19
macalpinae 191, 195
Laboulbeniales 1, 10, 13
Laboulbeniopsis 1, 3, 8
termitarius 3, 5
Laccaria 508
fraterna 514
laccata 173–175, 176f, 177, 179, 514
Lachnocladium 746
Lactarius 839, 855
camphoratus 851
chelidonium 851
controversus 851
deliciousus 851, 853–854
deterrimus 315
piperatus 839, 848, 853
pubescens 853
sanguifluus 851
scrobiculatus 89–90, 92
spp. 842, 846
thejogalus 851
torminosus 853–854
trivialis 851
vellereus 848
Laeticorticium
roseum 278
Laetisaria
arvalis 278
Lasallia
papulosa 501–504
Lasiodiplodia
theobromae 187, 191, 194, 196, 379–380
Lecania
euthallina 824
Lecanora 831, 834, 836
atrosanguinea 818
camptidia 820
carneofusca 824, 826, 835
diphasia 823
diplacia 824
ferruginea 832
ferruginea var. nigricans 832
floridana 827
nigricans 832
pallida 836
phaea 824
phaeocarpella 832
refellens 828–829
squamulata 828–829
subdolosa 824
subfusca 824
subsequestra 824
Lecanorales 453
Lecidea
gibberosa 832
oblongula 828
Leiosphaerella
cocoes 380
omphalodes 278
ursinus 278
vulpinus 278
Lentinopanus 145
Lentinula
edodes 697
Lentinus 97, 145, 696–698, 725, 727, 731
sect. Tuberregium 698
anthocephalus 698
connatus 698
dactyloides 697–698
fusipes 698
giganteus 698
kauffmanii 731
lepideus 731
suavissimus 697
tigrinus 697, 725–731, 726f
velutinus 278
Lenzites
saepiaria 593
Leotia 213
lubrica 212, 215
Leotiales 451, 453
Leptodiscella
africana 193, 195
Leptodothiorella 877
Leptonia
strigosissima 861–862
Leptosphaeria
acuta 876–877
acuta f. cannabis 877
maculans 204
Letendraea 254
helminthicola 254
padouk 254
sp. 379
Letendraeopsis 255
palmarum 254, **255**, 256–257f, 376, 379–380, 382–383
Leucopaxillus
amarus 560
gentianeus 560–561
Leucostoma
persoonii 9
Libertella
sp. 193
Lichen
variabilis 833
Lopharia
cinerascens 278
Lyophyllum
montanum 278
Macrophoma
phaseolina 350–356, 351–352f, 354f
Magnaporthe 336, 340
grisea 72, 78–79, 206
Manglicola 266, 269
guatemalensis 266, 268f, 269
samuelsii 266, 267–268f, 269
Marasmiellus 756
sect. Nigripedes 756
nigripes 756
reductus 756
Marasmius 440, 534, 743, 748–749
oreades 278
Martellia
brunescens 91
Massarina
quercina 650
Mattirolella 3
Megacollybia 749
platyphylla 743, 749
Megathecium 357
Melanconiopsis
sp. 192
Melanconis 87
modonia 650
Melanogaster 507
Melanommatales 266, 269
Melanospora 87, 357–358, 367–369
chionea 357
fallax 9
zamiae 9, 357–369, 360–362f, 364f, 366f, 368f
Melanosporaceae 357–358, 369
Melanosporales 358
Melanotus
defraudatus 209, 211
eccentricus 211
hartiae 209
hepatochrous 211
phillipsii 211
spp. 209, 211
textilis 209–211
Meliolales 215
Merulius
sp. 278
Metabourdotia 43
Metarhizium
anisopliae 194, 196
Metatremellales 43
Microascus 213
cirrosus 212–213
trigonosporus 9
Microbotryum
violaceum 544
Microdochium

sp. 380
Microporellus
obovatus 278
Microsphaera 629
alphitoides 627, 628f, 629
berberidis 627
euonymi 627
penicillata 519
Microsphaeropsis
sp. 192–193
Mitteriella 868
Moelleroclavus 443
Mollisia
sp. 653
Monoblepharella 615, 619, 621, 623
Monoblepharidaceae 615
Monoblepharidales 615, 623–624
Monoblepharis 615
polymorpha 615–624, 616f, 618f, 620f, 622f
Monodictys
castaneae 650
Monosporonella 44
termitophila 24
Montagnea 98, 104
arenaria 96–97, 99–104
Montagneaceae 97
Morchella 89, 92, 94
angusticeps 762–763, 765, 768, 770–771
conica 762–763, 765, 768, 770–771
crassipes 762–763, 765, 768, 770–771
deliciosa 762–763, 765, 768, 770–771
elata 762–763, 765, 768, 770–771
esculenta 762–763, 765, 768, 770–771
semilibera 771
spp. 762–771
Mortierella
candelabrum 67
pusilla 67
vinacea 193
Mrakia 44
frigida 24
Mucor 189, 691
sect. Genevensis 691
azygosporus 691, 695
bacilliformis 691, 695
bainieri 691, 695
genevensis 691, 695
hachijyoensis 691, 693f, 695
hiemalis 191, 194
meguroense 691, **692**, 693f, 694f, 695
mucedo 57, 65–71
parvisporus 691, 695
philippovi 691, 695
spp. 695
Mucorales 57, 71, 190, 196, 346, 499
Mucronella
aggregata 278
Mycena 749–750
sect. Adonidae 750
sect. Carolinenses 750
albiceps 743, 749
carolinensis 743, 750
leaiana 278
sp. 278
Mycoacia
sp. 278
uda 278
Mycocalia
denudata 513
sp. 380
terrestris 194, 196
Mycorhynchus 5
Mycosisymbrium 130
cirrhosum 130, **131**, 131f, 132
Mycosphaerella
cannabis 870
sp. 700
Mycotheca
germanica 841f
Myelochroa
aurulenta 501–504
Mylittopsis 34, 43
Myriapodophila 1, 3, 6
Myriogenospora
atramentosa 409
Myrothecium
leucotrichum 192
prestonii 194
roridum 191
sp. 547
spp. 196
Myxariaceae 43
Myxarium 43
nucleatum 23, 34–35
podlachicum 37
subhyalinum 34
Myzocytium
sp. 371–375
Nectria 87, 336, 338, 447, 758
haematococca 206
lascidis 191, 194
parmeliae 501–504
sp. 194, 194
zonata 501–503
Nectriella
sp. 193
Nectriopsis 864
spp. 503
squamulosa 501–503
tremellicola 863
tubariicola 865
Neisseria
gonorrheae 681
Nematoctonus
haptocladus 372, 374
Neohypodiscus 684, 689–690, 702
cerebrinus 685f, **686**, 687–688f, 688
irradians 685f, **686**, 687–688f, 688
rickii 685, 685f, 686, 688, 688f
spp. 688
Neolentinus 696–697, 725, 727, 731
adhaerens 727, 731
kauffmanii 731
lepideus 278, 697, 725–731, 729–730f
Neosartorya
fennelliae 540–541
sp. 380
indica 656
Neurospora 213, 233, 461, 462–464, 466–467, 469, 472, 758–759, 785
crassa 9, 212–213, 227, 232, 461–463, 462–463f, 464, 465f, 466, 471–472, 539–541, 543–544, 546, 758
discreta 759
intermedia 461–466, 759
sitophila 461–463, 463f, 465–466, 758
spp. 539, 543
tetrasperma 461, 469–472, 470f, 758
Nigroporus
durus 278
Nigrospora
sphaerica 380
Nivatogastrium
nubigenum 278
Nodulisporium
sp. 194, 380, 650
spp. 196
Nolanea
hirtipes 560–561
sericea 560–561
Nomuraea 334
rileyi 327–334, 330–333f
Octospora
alpestris 471
phagospora 471
Oedogoniomyces 615, 621, 623
Oedogoniomycetaceae 615
Oidium
begoniae 627, 628f, 629
oxalidis 627, 628f, 629
sp. 627
Oliveonia 42
atrata 20, 26–27f, 27
Omphalia
flavida 513
Omphalotus
olearius 278
Oncobasidium 42
Ophiodothella 87–88, 369
Ophiostoma 87, 213, 369, 607, 612, 758
cucullatum 612, 614
davidsonii 612, 614
distortum 607, 612, 614
minus 607, 612
piceae 607, 612, 614
piliferum 9
seticolle 607–614, 609–611f, 613f
spp. 12
ulmi 9, 212, 368, 434
Ophiostomatales 10
Ophiovalsa
suffusa 653
Orbilia 452
alnea 452
fimicola 451–452, 452f,
inflatula 452
leporina 451
luteorubella 452
piloboloides 452
spp. 451, 453
xanthostigma 452
Orbiliaceae 451, 453
Oudemansiella 743, 749
brunneomarginata 743, 750
canarii 750
mucida 750
radicata 278
Oxydothis
poliothea 380
Oxyporus
corticola 279
latemarginatus 279
populinus 279
Pachnocybe
ferruginea 19
Paecilomyces 190
farinosus 327
marquandii 194, 196
sp. 194
Pagidospora
amoebophila 474
Panaeolus
semiovatus 96–103
Panellus 751–753
subg. Mitellus 752
subg. Panellus 752
mitis 743, 750, 752
patellaris 743, 750–752
ringens 743, 751–752
serotinus 752
stipticus 279
stypticus 534, 750–752
violaceofulvus 752
Panus 145, 696–697, 725, 727, 731
conchatus 145–148
crinitus 279
fragilis 279
kauffmanii 279
lecomtei 279, 697, 725–731, 728f
levis 279
rudis 697
strigosus 279
suavissimus 697
tigrinus 795
Paspalomyces 131
aureus 131
Patouillardina 34, 44
cinerea 23, 34, 36–37f, 37
Patouillardinaceae 34, 44

Paxillus
atrotomentosus 279
Peckiella 839
atra 854
banningiae 846
camphorati 851
hyalina 848
hymenii 846, 848
hymenioides 851
lateritia 851
luteovirens 854
torminosa 854
vanbruntiana 848
xylophila 843
Pedilospora 452
Penicillium 190, 196, 259, 261, 602
aurantiogriseum 259–261
brevicompactum 259–261
charlesii 238–239
chrysogenum 9, 10
citrinum 259–261
crustosum 259–261
expansum 282, 286–289
glabrum 259–261
islandicum 259–261
sclerotiorum 194
solitum 261
sp. 192, 194
Peniophora
subg. Gloeopeniophora 53
aurantiaca 279
cinerea 279, 534
incarnata 51, 53
laeta 51, 53, 55
pithya 279
pseudopini 279
sp. 279
violaceolivida 279
Penzigia 445
artzenii 445
berteri 380
Perenniporia
compacta 279
ellisiana 279
fraxinea 279
tenuis 279
tenuis var. pulchella 279
Periconia
atra 282, 287–288
Peridermium
harknessii 490
yamabense 491
Peronosclerospora 785
Peronospora
viciae 454, 457
viciae f.sp. fabae 454–457
viciae f.sp. pisi 454–457
Pestalotiopsis
guepini 187, 189–191, 194
palmarum 379–380
Petriella
setifera 9
Pezicula
cinnamomea 648, 650–653
spp. 653
Peziza 213
badia 212–213
Pezizales 215
Pezizella
ericae 318
Phacidium
sherwoodiae 700
Phaeococcomyces
nigricans 387
Phaeococcus
nigricans 390
sp. 390, 651
Phaeolus
schweinitzii 279
Phaeosclera
dematioides 294
Phaeosporis 580
melasperma 580, 582f, 583
Phaeotheca
fissurella 294
Phanerochaete 763
chrysorhiza 279
chrysosporium 174, 279, 741–742
ericina 279
joseferreirae 279
Phellinus 120, 126–127, 275, 523, 525, 534–535
abietis 523–524
arctostaphyli 279
cancriformans 524, 534–535
chrysoloma 523, 524, 526–528, 531–535
everhartii 279
ferrugineofuscus 279
ferruginosus 279
hippophaecola 534, 536
igniarius 535–536
laevigatus 280
laricis 524
piceinus 523–524, 534–535
pini 523–536, 525f
pini var. abietis 523
pini var. cancriformans 524
spp. 531, 534
sulphurascens 120–121, 123–125, 127
torulosus 42
tremulae 536
viticola 280
vorax 523–524, 534–535
weirii 120–121, 124–127, 126f
Phialophora 763
sp. 193–194
Phlebia
queletii 280
radiata 51, 53
Phleogena
faginea 19
Phleogenaceae 18
Phlogiotis 43
helvelloides 37
Phlyctidium
scenedesmi 199
Pholiota
magnivelata 797
terrestris 20
Phoma 870, 877
sect. Plenodomus 875
acuta 877
cannabis 870, **871**, 872f, 873–874, 876–877
exigua 870, 872f, 873–877
glomerata 870, 872f, 875–876
herbarum 870, 875–877
herbarum f. cannabis 870, 874–875
hoehnelii 877
nebulosa 877
piskorzii 870, 876–877
sp. 191, 380, 382, 650, 873–874, 876
spp. 870, 877
Phomatospora
sp. 380
Phomopsis 877
boehmeriicola 877
ganjae 868
sp. 191, 194, 380, 382, 384, 648, 650–651, 653
spp. 196
Phragmoxenidiaceae 39, 44
Phragmoxenidium 44
mycophilum 24, 39, 41
Phycomyces 781, 784–785
blakesleeanus 240, 781–785
Phyllachora 87–88
biguttulata 369
Phyllactinia 87
guttata 213
Phylleutypa 88
Phyllosticta
abietis 700
cannabis 870–871
sp. 877
spp. 870
Physalacria
sp. 380
Physalospora
sp. 380
Physarum 763
Phytophthora 107, 235, 416–417, 419–420, 777, 793
cactorum 733
cinnamomi 111, 223, 416
colocasiae 107–111, 416, 420
drechsleri 416
megasperma f.sp. glycinea 457
palmivora 238, 416
parasitica 107, 416–420
Pichia 390
minuta var. minuta 387, 390
minuta var. nonfermentans 387
stipitis 387
tinctorius 315, 315, 322f
Pithomyces
maydicus 191, 196
Placodium
atroalbum 816
diplacioides 824
ferrugineum 818
ferrugineum var. nigricans 832
peliophyllum 831
Plasmodiophora
brassicae 458–460, 459f
Platygloea
effusa 34
unispora 31
Platygloeales 18
Plectascales 358
Plectosphaerella 88
cucumerina 82, 83, 88
Plenodomus
cannabis 870, 872f, 874
Pleospora 213
rudis 212
Pleurocybella
porrigens 280
Pleurotopsis 752
guatemalensis 743, 751f, **752**, 753
longingua 753
Pleurotus 145, 270–271, 471, 534, 696–698, 731, 746
cornucopiae 271
djamor 271, 273
dryinus 697
eryngii 697, 727
euosmus 697
ferulae 727
florida 174
levis 697
nebrodensis 727
ostreatus 173–175, 177, 179, 270–271, 593, 594–596f, 598–599f, 597, 599–600, 697, 727
populinus 271, 697
pulmonarius 271, 273, 534, 697, 749
spp. 271, 273
subareolatus 697
tuberregium 696–698, 698f
Podaxaceae 97
Podaxis
pistillaris 96–97, 99–104
Podosordaria
axifera 437
Podosphaera
clandestina 627
leucotricha 627
tridactyla 519
Podospora 461, 469, 471
anserina 461, 469–470, 470f, 472, 539, 543
arizonensis 471
Polyphagus
euglenae 623
19, 44
Polyporus
adustus 593
piceinus 524
umbellatus 743, 753
Polystigma 88

Poria
monticola 593
Porodaedalea
piceina 524, 535
Poronia 87
Porpidia 213
crustulata 212–213
Postia
guttulata 280
obducta 280
Pronectria
oligospora 501–504
Protoclavariales 42
Protodaedalea 43
hispida 37
Protodontia 43
oligacantha 23, 25f
Protohydnum 43
cartilagineum 38
Protomerulius 43
Psathyrella 96, 103
gracilis 96–103
Pseudocoprinus 96
Pseudohydnum 44
gelatinosum 23, 37
Pseudostypella 43
Pseudotracylla
dentata 130
falcata 130
Pseudotrichia
guatopoensis 133, **133**, 134–135f, 135–136
mutabilis 133, 135–136
pachnostoma 133, 135–136
spp. 133, 135–136
Pseudotulasnella 42
Psilocybe
mutans 795
Pterospora 756
olivaceonigra 756
Puccinia 485–486, 490
graminis 485, 682
rutainsulara 485–491, 486–490f
sorghi 791–792
vitata 491
Punctelia
rudecta 501–504
Pyrenodesmia
albovariegata 816
amabilis 836
microcarpa 834
Pyricularia
sp. 194
Pythium 660–661, 763, 780, 793
aphanidermatum 780
irregulare 660–661, 663, 663f
sp. 661–665
splendens 777–780, 778f
sylvaticum 660–661, 664–665
ultimum 660–662, 663–665, 663f, 780
ultimum var. sporangiiferum 660–661, 663–664
ultimum var. ultimum 660–661, 664
Pyxidiophora 1, 3, 5, 8, 10, 12
sp. 4–5f, 9–10
Questieriella 868
Radulomyces
confluens 280
Ramichloridium 290
anceps 294
atrovirens 295
sp. 194, 651
spinifera 294–295
Resupinatus 751
Rhabdocline
parkeri 382, 635–636, 643–645
pseudotsugae 635
weirii 635
Rhinocladiella 290
mansonii 292
sp. 194
Rhizoctonia 20
solani 478, 481f, 681, 763
sp. 194, 650
Rhizophydium 199
Rhizopogon 103–104, 507–508
rubescens 89, 92
rubescens var. rileyi 90–91
sp. 93
subcaerulescens 89–92, 92f
subsalmonius 506
vulgaris 506
Rhizopus
oligosporus 227
Rhizosphaera
pini 700
Rhodocybe 137
sect. Claudopodes 139
sect. Crepidotoides 143
sect. Rhodocybe 139, 142–143
alutacea 137, 138f, 143
brunnescens 137, 138–139f, **139**, 141f, 142
caelata 142–143
conchata 139
crepidotoides 139, 143
fuliginea 143
lateralipes 139
pulchrisperma 137, 143
rhizogena 137, 138–139f, 139, 140f
stipitata 137, 138–139f, 141f, **142**, 143–144
tergipes 139
verrucosa 137, **143**
Rhodophyllus
verrucosa 143
Rhodosporidium
toruloides 174
Rhodotorula 390
minuta 387
rubra 774
Rhynchogastrema 44
coronata 24, 39
Rhynchogastremaceae 18, 39, 41, 44
Rhynchomyces 5
Rhynchostoma
apiculatum 702
Ricasolia
squamulata 829
Rickia
sp. 1, 9, 10, 12
Russula 508, 839
brevipes 90, 92, 849
kromholzii 855
spp. 842, 846
Russulaceae 839, 846, 857
Saccharomyces 213, 240, 461
cereviseae 9, 173, 175–176, 204, 212–213, 543–544, 564, 764
Sarcinella 868–869
prunicola 868
Sarcinomyces
crustaceus 294
Sarcoxylon 684
Sawadaea
bicornis 627
Schiffnerula 867–868
cannabis 867, 867–869, 868–869f
domingensis 868
Schizophyllum
commune 20, 173–174, 178, 211, 533, 563–568, 593, 599–600
Schizopora
paradoxa 51, 53
Schizosaccharomyces 213
pombe 204, 212–213
Sclerocystis 346
spp. 343
Scleroderris 587
lagerbergii 242
Sclerotinia 213, 763
sclerotiorum 94, 212–213, 658
trifoliorum 94, 471
Scolecobasidium
constrictum 191
crassihumicola 191
humicola 191
spp. 195
Scutellospora 217–218, 224, 343–344, 346, 348, 477–480
calospora 219, 221, 633
castanea 478, 481f, 483
coralloides 217
dipurpurescens 633
heterogama 217, 219, 221
nigra 343
nodosa 478–479, 482f, 483, 633
pellucida 217, 219, 221, 633
spp. 220–221
Sebacina 44, 474, 476
epigaea 23
incrustans 23
Sebacinaceae 37, 44
Sepedonium 842
Septobasidiales 18–19
Septofusidium
variabilis 194
Septoria
cannabis 873–874
spp. 870
Seridium
anceps 193
Sesquicillium 194
buxi 191, 194
setosum 191
Sirobasidiaceae 18, 27, 38–39, 44
Sirobasidium 39, 44
magnum 24, 40f
Sirococcus 242, 249
strobilinus 242–243, 248–249
Sirosporium 448
Sirotrema 44
Sistotrema
brinkmannii 533
Solheimia
costaspora 192
Solosympodiella
clavata 194–195
Sordaria 87, 357, 368–369, 539, 543
bosensis 580
brevicollis 539–541, 543
fimicola 539
humana 87
macrospora 351, 539
Sordariaceae 87, 539, 543
Sordariales 358, 369
Sorosphaera
veronicae 458
Speiropsis
hyalospora 192, 195–196
Sphacelotheca 156
Sphaerella
cannabis 870–871
Sphaeria
acuta 877
cerebrina 686, 687f, 688
concentrica 688
globosa 688
hyalina 848
lactifluorum 849
lateritia 851
luteovirens 854–855
ochracea 846
torminosa 853–854
tumulata 701
viridis 855
Sphaeriales 358
Sphaerobolus 336, 338, 340
Sphaerodothis 88
Sphaeronaemella
fimicola 9
Sphaerostilbella 853
aureonitens 9
Sphaerotheca
epilobii 627
fugax 627

fuliginea 516–521, 627, 628f, 629
maculatis 521, 627
mors-uvae 519
pannosa 519, 627, 628f
Spilosphaeria
cannabis 873
Spiropes
sp. 194
Spongipellis
unicolor 9
Spongospora
subterranea var. subterranea 458
Sporidiobolus
salmonicolor 387
Sporotrichum 763
Stachybotrys
chartarum 192
kampalensis 192
parvispora 193
reniformis 193
spp. 196
Stagonospora
innumerosa 643
Stenella 448
Stereum
hirsutum 51, 53, 534
Stigmochora 88
Stilbella 602
annulata 602–606, 603–605f
Stilbohypoxylon 443
Stilbotulasnella 43
conidiophora 20, 22
Stilbum
vulgare 19
Streptomyces
griseus 351
Stropharia
rugosoannulata 96–102, 104
Strophariaceae 97
Stylopage
rhabdospora 476
Stypella 44
vermiformis 23
Suillus 103–104
brevipes 89–90, 92
granulatus 510–515
luteus 514
spp. 510, 515
tomentosus 89–90, 92
Sympodiella
sp. 192
Synchytrium
endobioticum 733–739, 735–736f, 738f
Syzygospora 39, 44
Syzygosporaceae 39, 41, 44
Talaromyces 213
flavus var. macrospora 212
Taphrina
deformans 9
ulmi 587
Tectella
patellaris 750
Teloschistaceae 813
Termitaria 3
coronata 4f
Tetracladium
breve 194
setigerum 194
spp. 195–196
Tetragoniomyces 44
uliginosus 24, 39, 49, 53
Tetragoniomycetaceae 39, 44
Tetrapyrgos 756
nigripes 743, 753, 756
olivaceonigra 756
reducta 756
subdendrophora 743, 753, 755
tropicalis 743, 753, **755**, 754f, 756
Thanatephorus 42
cucumeris 20, 22, 35
pennatus 22
praticola 22
sasaki 22
Thaxteriola 1, 3, 4f, 5–8
nigromarginata 4f
Thaxterogaster
pingue 91, 506–508
Thermoascus 213
crustaceus 212
Thielavia 369
sepedonium 369
terricola 369
Thozetella
radicata 194, 195
sp. 380, 382
Tiarosporella 338, 340
Tilletia 204
asperifolia 156–157, 161
bromi-tectorum 156
controversa 156–159, 160f, 161
foetida 19
fusca 156–159, 161
fusca var guyotiana 156, 158–159, 161
fusca var. bromi-tectorum 156, 158–159, 161
fusca var. fusca 156, 158–159, 159–160f
guyotiana 156
indica 656–659
laevis 156–159, 160
sp. 156, 158
spp. 161, 658
tritici 156–159
Trabutia 88
Trametes
suaveolens 280
versicolor 270, 593, 599
Treleasia 3, 5
Tremella 38, 44, 49, 53
brasiliensis 24
encephala 49, 51, 53, 54f, 55
foliacea 24, 35
fuciformis 35
globospora 24, 34–35, 38
indecorata 35
mesenterica 24, 35, 38, 49, 50f, 51, 52f, 53, 55
moriformis 35
mycophaga 49, 51, 53, 54f
rhytidhysterii 24, 49
sp. 24
Tremellaceae 18, 38, 44
Tremellales 18, 38–39, 41, 44, 49, 55
Tremellodendron 38, 44
candidum 23
Tremellodendropsidaceae 38, 44
Tremellodendropsis 38, 44
tuberosa 19, 23, 25f, 38
Tremelloscypha 44
australiensis 23
gelatinosa 23
Tremellostereum 44
Triangularia 87–88
backusii 82, 87–88
Trichoderma 190, 196, 205, 421–422, 424, 426
sect. Longibrachiatum 421, 426
harzianum 191, 282, 287
koningii 193
longibrachiatum 421–423, 425–426, 428, 430f, 432–434
pseudokoningii 421–423, 425–426, 428, 430f, 432–434
reesei 421–423, 425–426, 428, 430f, 432–434
sp. 380
spp. 432–434
viride 351, 423, 433
Tricholoma
focale 90, 92, 94
virgatum 560–561
Tricholomataceae 560
Tricholomopsis
streetsii 280
Trimorphomyces 39, 44
papilionaceus 24, 39, 41
sp. 194–196
Tuber 507
Tubercularia
lateritia 194, 196
sp. 191
Tulasnella 18, 20, 28, 42, 474, 475–476
araneosa 20, 22, 38
fuscoviolacea 22
sp. 22
zooctonia 474
Tulasnellaceae 18, 27–28, 42
Tulasnellales 18, 20, 29, 38, 42
Ulocladium
chartarum 282, 286–288
Uncinula 629
necator 519, 627
Uredinales 19
Uredo
gardeniae-floridae 263, 265f
gardeniae-thunbergiae 263
gardenicola 263, 264f
Uromyces 336, 787, 791
alyxiae 490
appendiculatus 174, 787–793
viciae-fabae 792–793
Ustilago 156, 461, 471
bullata 156
hordei 156, 174
maydis 19, 38, 173–174, 178, 543–544, 657, 681–682
nigra 174
trebouxii 156
violacea 174, 544
Ustulina
deusta 380, 382
Uthatobasidium 42
fusisporum 22
Venturia
inaequalis 540–541
Verpa 763
conica 763, 765, 768, 770–771
Verrucaria
melasperma 580
Verrucispora 448
Verrucophragmia 448
splendens 447, 449f, **450**
Verticillium 196, 839, 842, 860–861, 863, 865
dahliae 94
fungicola 842
psalliotiae 842
sp. 192–194, 839, 865f
spp. 840
succineum 839, **861**, 862f
Virgariella
sp. 380
Volutella 132
minima 191, 194–195
sp. 194
volvacea 227, 231–233
Waitea 20
circinata 20, 22
Wardomyces
sp. 380
Wilcoxina
mikolae var. mikolae 316, 316–317f
Wolfiporia
cocos 280
Xanthochrous
glomeratus subsp. heinrichii 121, 127
heinrichii f. nodulosus 121, 126–127
Xanthoparmelia
conspera 501–504
Xenolachne 39, 44
Xenostele 490
sp. 485
Xerula 743
Xylaria 87
adscendens 380, 382
allantoidea 380, 441
anisopleura 380

appendiculata 445
arbuscula 380, 382, 441, 442f
aristata 445
asperata 443, 445
axifera 436–437, 438f, 439, 440f, 441, 442f, 445
axifera var. perexigua 439
carpophila 444–445
castorea 380
cerebrina 686, 688
chordiformi 441, 443–444
clusiae 445
coccophora 380
comosa 436, 439, 443
cubensis 376, 380, 382, 441, 442f
curta 380, 382
globosa 688
griseo-olivacea 439
guarea 436, 438f, 440f, 442f, **444**, 445
hypoxylon 9
luxurians 443, 445
maitlandii 441, 442f
melanura 443–445
meliacearum 436, 438f, 440f, **441**, 442f, 443–445
microceras 380
multiplex 380–382
obovata 380
palmicola 380
phyllocharis 445
schweinitzii 441, 445
sp. 191, 194, 255, 442f
spp. 191–192, 196, 382, 436, 441, 444–445
telfairii 380
Xylariaceae 684
Xylobotryum 269
Xylosphaera
axifera 437
Xylosphaeria 702
subg. anthostomella 702
brachystoma 701–702
Zoopagales 476
Zygorhizidium 199–200
affluens 199–200
planktonicum 199–200
sp. 199, 201f
Zygorhynchus 691
heterogamus 57-71, 59–60f, 62f, 64f, 66f, 68–70f
Zygosporium
alba 24, 39, 41, 49
gibbum 193, 195

HOST INDEX

The Host Index includes generic names of host species, and the names of those fungi definitely indicated in the text as occurring on a particular host.

Abies
Anthostomella formosa var. abietis 700
Armillaria mellea 113–114
Inonotus sulphurascens 122
weirii 122–123
Phellinus cancriformans 524
chrysoloma 524
pini 523
vorax 524
weirii 120
Xanthochrous glomeratus subsp. heinrichii 121
Acer
Capronia pulcherrima 291
Cryphonectria parasitica 682
Cryptodiaporthe hystrix 667
Phellinus pini 523
Sawadaea bicornis 627
Agropyron
Glomus coronatum 632
Agrostis
Epichloe amarillans 570
baconii 571
baconii 802
typhina 409
Aleurodiscus
Tremella mycophaga 51, 53
Allium
Gigaspora rosea 478
Glomus versiforme 314
Scutellospora castanea 478
nodosa 478
Alnus
Schizopora paradoxa 51
Amanita
Hypomyces hyalinus 839
Anthoxanthum
Epichloe typhina 802
Apera
Tilletia sp. 156
Aquilegia
Erysiphe aquilegiae 627
Arbutus
Pisolithus tinctorius 322
Arctium
Erysiphe depressa 627
Artemisia
Erysiphe artemisiae 627
Aster
Erysiphe cichoracearum 519, 627
Asterionella
Zygorhizidium affluens 200
planktonicum 200
Begonia
Oidium begoniae 627
Beta
Erysiphe beta 627
Betula
Phellinus pini 523
Wilcoxina mikolae var. mikolae 316
Boletus
Hypomyces odoratus 857
Brassica
Erysiphe cruciferarum 627
Plasmodiophora brassicae 458
Bromus
Tilletia fusca var. bromi-tectorum 156
Buddleia
Areolospora bosensis 580
Calamagrostis
Epichloe amarillans 571
Glomus coronatum 632
Calocedrus
Daedalea vorax 524
Phellinus vorax 524
Cannabis
Ascochyta arcuata 874
prasadii 876
Leptosphaeria acuta 877
Phoma cannabis 871
glomerata 875
Phomopsis ganjae 868
Schiffnerula cannabis 867
Septoria spp. 870
Carpinus
Peniophora laeta 51
Tremella mesenterica 51
Carthamnus
Melanospora zamiae 358
Carya
Cryphonectria parasitica 682
Castanea
Acremonium curvulum 652
Amphiporthe castanea 648
Asterosporium sp. 650
Colletotrichum acutatum 652
Coniella castaneicola 650
Coryneum modonium 648
Cryphonectria parasitica 648, 682
Cryptosporiopsis grisea 650
Diplodina castaneae 650
Discella castanea 650
Endothiella parasitica 650
Fusicoccum castaneum 653
Hypoxylon fragiforme 650
Massarina quercina 650
Melanconis modonia 650
Mollisia sp. 653
Monodictys castaneae 650
Nodulisporium sp. 650
Ophiovalsa suffusa 653
Pezicula cinnamomea 648
Phaeococcus sp. 651
Phoma sp. 650
Phomopsis sp. 648
Ramichloridium sp. 651
sp. 650
Rhodocybe stipitata 142
Ceanothus
Neohypodiscus cerebrinus 687
Cedrus
Phellinus pini 523
vorax 524
Centaurea
Erysiphe cichoracearum 627
Chaerophyllum
Erysiphe heraclei 627
Cirsium
Erysiphe cichoracearum 627
Clianthus
Oidium sp. 627
Colocacia
Phytophthora colocasiae 107
Corylus
Anisogramma anomala 674
Crataegus
Glomus coronatum 632
Phellinus pini 523
Podosphaera clandestina 627
Crepidotus
Hypomyces tremellicola 839
Cucumis
Sphaerotheca fuliginea 627
Cucurbita
Sphaerotheca fuliginea 516, 627
Dacrydium
Capronia acutiseta 291
Dactylis
Epichloe typhina 570
typhina 802
Glomus coronatum 632
Danthonia
Atkinsonella hypoxylon 667
Delphinium
Erysiphe ranunculi 627
Deschampsia
Glomus coronatum 632
Diatrype
Capronia parasitica 291
Tremella mesenterica 55
Dipsacus
Erysiphe knautiae 627
Echinops
Erysiphe cichoracearum 627
Ensete
Stilbella annulata 602
Epilobium
Sphaerotheca epilobii 627
Eucalyptus
Hydnangium carneum 317
Pisolithus tinctorius 315
Pseudotracylla dentata 130
Euonymus
Microsphaera euonymi 627

Euterpe
Acrodictys elaeidicola 380
Colletotrichum gloeosporioides 380
Hypoxylon serpens 380
stygium 380
Idriella euterpes 380
Letendraeopsis palmarum 254, 380
Phoma sp. 380
Phomopsis sp. 380
Thozetella sp. 380
Ustulina deusta 380
Xylaria adscendens 380
arbuscula 380
cubensis 380
curta 380
multiplex 380
Fagus
Diatrype stigma 51
Discula umbrinella 636
Peniophora incarnata 51
Phaeococcus sp. 390
Phlebia radiata 51
Xylaria carpophila 445
Festuca
Acremonium coenophialum 667
coenophialum 774
spp. 774
typhinum 408
Epichloe festucae 804
typhina 408
Glomus coronatum 632
Fragaria
Colletotrichum gloeosporioides 83
Gardenia
Hemileia gardeniae-floridae 263
Uredo gardenicola 263
Geranium
Sphaerotheca fugax 627
Glyceria
Glomus coronatum 632
Glycine
intraradices 478
Guarea
Xylaria guarea 444
meliacearum 443
Helianthus
Erysiphe cichoracearum 519
Hemerocallis
Colletotrichum gloeosporioides 83
Heracleum
Erysiphe heraclei 627
polygoni 519
Hieracium
Erysiphe cichoracearum 627
Hippophae
Phellinus hippophaecola 536
Holcus
Epichloe clarkii 571, 802
Homo
Exophiala jeanselmei var. jeanselmei 291
mansonii 291
spinifera 292
Hortaea werneckii 292
Hordeum
Acremonium spp. 774
starrii 775
Blumeria graminis 519
graminis 627
Erysiphe graminis 519
Hymenochirus
Basidiobolus ranarum 493
Hypoxylon
Capronia moravica 291
parasitica 291
Ictalurus
Exophiala pisciphila 291
Juncus
Pterospora olivaceonigra 756
Stagonospora innumerosa 643
Lactarius
Hypomyces armeniacus 839
banningiae 846
lactifluorum 849
lateritius 839
lithuanicus 839
luteovirens 851
Lactuca
Erysiphe cichoracearum 519
Lamium
galeopsidis 627
Larix
Inonotus sulphurascens 122
weirii 122–123
Phellinus chrysoloma 524
piceinus 524
pini 523
sulphurascens 121, 123–124
vorax 524
Lathyrus
Erysiphe pisi 627
polygoni 519
Microsphaera penicillata 519
Lecanium
Exophiala jeanselmei var lecanii-corni 291
Leptonia
Hypomyces porphyreus 839
Libocedrus
Armillaria mellea 113–114
Litsea
Kernella lauricola 485
Lolium
Acremonium lolii 775
spp. 774
Epichloe typhina 774
typhina 802
Lupinus
Capronia mansonii 290
Erysiphe pisi 627
polygoni 519
Mahonia
Microsphaera berberidis 627
Malus
Podosphaera leucotricha 627
Medicago
Glomus versiforme 314
Melicope
Puccinia rutainsulara 485
Muhlenbergia
Tilletia asperifolia 156
Myosotis
Erysiphe cynoglossi 627
Nectria
Capronia epimyces 291
Neesenbeckia
Verrucophragmia splendens 450
Nicotiana
Acaulospora laevis 478
Oxalis
Oidium oxalidis 627
Panax
Xylaria axifera 439
Parmelia
Pronectria oligospora 502
Parthenocissus
Uncinula necator 519
Paspalum
Myriogenospora atramentosa 409
Pediastrum
Phlyctidium scenedesmi 199
Zygorhizidium sp. 199
Pelea
Puccinia rutainsulara 485
Peniophora
Tremella mesenterica 49
Phanerochaete
Christiansenia pallida 49
Phaseolus
Gaeumannomyces graminis var. graminis 73
Uromyces appendiculatus 788
Phellodendron
Cylindrocladium camelliae 150
colhounii 150
tenue 150
Mucor hachijyoensis 691
meguroense 691
Phlebia
Tremella mesenterica 55
Pholiota
Hypomyces succineus 839
Physcia
Nectria parmeliae 502
Phytolacca
Stilbella annulata 602
Picea
Amanita muscaria 414
Apiorhynchostoma tumulatum 701
Armillaria ostoyae 404
Hebeloma crustuliniforme 414
Inonotus weirii 122
Lactarius deterrimus 315
Phellinus chrysoloma 523
piceinus 524
pini 523
vorax 524
weirii 120
Pinus
Anthostomella sabiniana 700
Apiorhynchostoma tumulatum 702
Armillaria mellea 113–114
Capronia pinicola 291
Dacrymyces unisporus 31
Inonotus weirii 122–123
Kionochaeta pini 447
Laccaria laccata 176
Phellinus chrysoloma 524
pini 523
vorax 524
weirii 120
Wilcoxina mikolae var. mikolae 317
Xanthochrous heinrichii f. nodulosus 121
Pisum
Erysiphe pisi 627
polygoni 519
Glomus mosseae 478
Peronospora viciae f.sp. fabae 454
Plantago
Erysiphe cichoracearum 519
sordida 627
Platanthera
Ceratorhiza goodyerae-repentis 320
Platanus
Discula platani 643
Pleurotus
Hypomyces tremellicola 863
Polygonum
Erysiphe polygoni 627
Polyporus
Hypomyces tremellicola 863
Populus
Candida ernobii 387
Capronia mansonii 291
sp. 291
Cryptococcus laurentii 387
skinneri 387
Phaeococcomyces nigricans 387
Phaeococcus sp. 390
Phellinus tremulae 536
Pichia minuta var. minuta 387
minuta var. nonfermentans 387
stipitis 387
Rhodotorula minuta 387
Sporidiobolus salmonicolor 387
Potentilla
Sphaerotheca macularis 627
Prunus
Armillaria mellea 113–114
Podosphaera tridactyla 519
Pseudotsuga
Daedalea vorax 524

Inonotus sulphurascens 123
weirii 122
Phellinus pini 523
sulphurascens 124
vorax 524
weirii 120
Rhabdocline parkeri 635
pseudotsugae 635
weirii 635
Pulmonaria
Erysiphe cynoglossi 627
Quercus
Armillaria mellea 113–114
Capronia mansonii 291
Cryphonectria parasitica 682
Cystotheca lanestris 519
Discula quercina 635
Exophiala moniliae 291
Microsphaera alphitoides 627
Pezicula cinnamomea 653
Stereum hirsutum 51
Ranunculus
Erysiphe polygoni 519
ranunculi 627
Rhizoctonia
Tetragoniomyces uliginosus 49
Rhizophora
Manglicola guatemalensis 266
Rhopalostylis
Campanella rubescens 746
Rhytidhysterium
Tremella rhytidhysterii 49
Ribes
Sphaerotheca mors-uvae 519
Rosa
Glomus coronatum 632
Sphaerotheca pannosa 519
pannosa 627
Russula
Hypocrea luteovirens 855
Hypomyces armeniacus 839
lactifluorum 839
petchii 860
Sabal
Nectriopsis squamulosa 502
Salix
Hymenogaster glacialis 508
Phellinus igniarius 536
Salmo
Exophiala psychrophila 291
salmonis 291
Salvia
Erysiphe salviae 627
Sambucus
Fusarium lateritium 549
Scenedesmus
Phlyctidium scenedesmi 199
Schefflera
Xylaria axifera 437
Schizopora
Tremella mesenterica 55
Sciadophyllum
Xylaria axifera 439
Senecio
Erysiphe fischeri 627
Sesbania
Colletotrichum truncatum 397
Solanum
Synchytrium endobioticum 733
Solidago
Erysiphe cichoracearum 627
Sonchus
Erysiphe cichoracearum 627
Sphenopholis
Epichloe amarillans 571
Spodoptera
Nomuraea rileyi 327
Stereum
Tremella encephala 49, 53
mesenterica 55
Stipa
Acremonium chisosum 775
Atkinsonella texensis 667
Symphytum
Erysiphe cynoglossi 627
Synedra
Zygorhizidium planktonicum 200
Taraxacum
Erysiphe cichoracearum 627
Sphaerotheca fuliginea 519
Taxus
Anthostomella formosa var. taxi 700
Phellinus pini 523
Thuja
Glomus coronatum 632
Inonotus sulphurascens 122
weirii 122–123
Phellinus vorax 524
weirii 120
Trametes
Cladobotryum clavisporum 863
Trematosphaeria
Capronia fungicola 291
Trichilia
Xylaria meliacearum 443
Tricholoma
Hypomyces odoratus 857
Trifolium
Acaulospora scrobiculata 478
pisi 627
Triticum
Blumeria graminis 519
Erysiphe graminis 519
Stilbella annulata 602
Tilletia laevis 157
tritici 156
Tsuga
Anthostomella brachystoma 700
Apiorhynchostoma tumulatum 702
Inonotus sulphurascens 122
weirii 122
Phellinus sulphurascens 124
vorax 524
weirii 120
Tubaria
Nectriopsis tubariicola 865
Umbellularia
Armillaria mellea 113–114
Urtica
Phoma exigua 877
herbarum 877
piskorzii 877
Uthatobasidium fusisporum
Phragmoxenidium mycophilum 39
Vaccinium
Mycosisymbrium cirrhosum 130
Neohypodiscus cerebrinus 687
Pseudotracylla falcata 130
Verbascum
Erysiphe verbasci 627
Veronica
Sphaerotheca fuliginea 627
Vicia
Peronospora viciae f.sp. fabae 454
Vitis
Capronia moravica 291
Gigaspora margarita 478
Uncinula necator 627
Vulpia
Tilletia fusca var. fusca 156
Zinnia
Erysiphe cichoracearum 519